



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

February 7, 2023

Cassie Avink
 Lakeshore Little People's Place
 1619 W Lakewood
 Holland, MI 49424

RE: License #: DC030360091
Lakeshore Little People's Place-Hamilton South
3362 M-40
Hamilton, MI 49419

Dear Ms. Avink:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 2/2/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read 'S. Shankin', with a stylized flourish at the end.

Sean Shankin, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: DC030360091

Licensee Name: Lakeshore Little People's Place

Licensee Address: 1619 W Lakewood
Holland, MI 49424

Licensee Telephone #: (616) 399-9149

Licensee/Designee: Cassie Avink, Designee

Name of Facility: Lakeshore Little People's Place-Hamilton
South

Facility Address: 3362 M-40
Hamilton, MI 49419

Facility Telephone #: (269) 264-1261

Original Issuance Date: 08/21/2014

Capacity: 135

Age Range: Ages Birth Thru 12 years

Program Components: GSRP
PRESCHOOL
SCHOOL AGE
INFANT/TODDLER
FOOD SERVICE

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 02/02/2023
 Date of Environmental Health Inspection: 12/14/2022
 Date of Fire Safety Inspection: 12/21/2022
 Date of Lead Hazard Risk Assessment, if applicable: N/A
 Date of Documentation of Playground Compliance, if applicable: 08/28/2014

		No. of Records Reviewed
No. of children enrolled in care	122	25
No. of staff employed	34	10
No. of volunteers	0	0
No. of children present at time of inspection	57	
No. of staff present at time of inspection	26	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	57	
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>
	Program Director	<input checked="" type="checkbox"/>
	Caregiving staff	<input checked="" type="checkbox"/>

Approved Child Use Space: Seven classrooms and the lunchroom
 Approved Program Director: Ms. Cassie Avink
 Approved Central Administrator: None
 Approved Variances: N/A
 Key Indicator Inspection: No


III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.



02/07/2023

Sean Shankin
Licensing Consultant

Date