



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

June 6, 2023

Mary Robinson  
Hastings Area Schools  
232 W Grand  
Hastings, MI 49058

RE: License #: DC080259698  
2023D0216010  
RE: SI LOG #: **HASS CERC Child Care Center**  
**520 W. South Street**  
**Hastings, MI 49058**

Dear Ms. Robinson:

This letter is to advise you that the 06/06/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Special Investigation Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8161(2) Emergency procedures.	The written procedures in the toddler classroom did not indicate that an emergency evacuation crib would be used for emergencies, but CCSM 3 indicated that she does use the evacuation crib when she has more than five toddlers in care. When a fire drill was practiced a couple months ago using the evacuation	The licensee stated that the broken wheel on the crib in the green room was replaced and the emergency procedures were updated to reflect the use of the crib in that classroom.	04/06/2023

	<p>crib, the wheel fell off the crib during the drill. CCSM 5 said the evacuation cribs are not usually used in the toddler classroom, but she had knowledge that the wheels on it will come off during emergency situations.</p> <p>During my onsite inspection on April 5, 2023, Ms. Robinson and I moved the emergency evacuation crib located in the toddler classroom and the wheel came off whenever it was moved over a threshold. The emergency plans in the toddler classroom are not consistent with what is happening during drills and should be updated to reflect how toddlers in the room will be accommodated during each type of emergency.</p>		
<p>R 400.8173(11) Equipment.</p>	<p>A bounce house has been used by the children in care at the child care center. Ms. Robinson, CCSM 1, CCSM 3, and Child C &amp; D's Mother all stated that a bounce house has been used for special events in the center.</p>	<p>The licensee stated that the bounce house was removed from the CERC center.</p>	<p>04/06/2023</p>

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,

A handwritten signature in cursive script that reads "Carrie Harris".

Carrie Harris, Licensing Consultant  
Child Care Licensing Bureau  
611 W. Ottawa Street  
PO Box 30837  
Lansing, MI 48909  
(269) 615-5617