



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

March 10, 2022

Jennifer Uldriks  
Marshall Public Schools  
100 E. Green St.  
Marshall, MI 49068

RE: License #: DC130314368  
**Shamrock Center**  
**400N Gordon St**  
**Marshall, MI 49068**

Dear Ms. Uldriks:

This letter is to advise you that the 03/10/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

<b>Violation cited</b>	<b>Noncompliance observed</b>	<b>Plan to correct</b>	<b>Date to be completed</b>
R400.8128 Staff; volunteer; tuberculosis	Three child care staff were missing verification of their tuberculosis test and results.	The child care staff will obtain a copy of their TB test/results or go get a new TB test completed.	04/10/2022
R400.8131(3) Professional development requirements	One child care staff member was missing prevention of shaken baby syndrome, abusive head trauma and child maltreatment, and recognition and reporting of child abuse and neglect training.	The child care staff member will complete the health and safety trainings, part 1 and part 2, which include these components.	04/10/2022

R400.8131(4) Professional development requirements	One child care staff member was missing prevention and control of infectious disease training, including immunizations.	The child care staff member will complete the health and safety trainings, part 1 and part 2, which include these components.	04/10/2022
R400.8380(1) Maintenance of premises	A top to a stepping stone is missing on the playground equipment leaving a metal pole/pipe sticking out of the ground. The pole/pipe has rough edges and could also be tripped on by a child playing.	The program director will make sure that the pole/pipe is covered immediately when children are on the playground until it can be repaired by maintenance. The repair is to be completed within a month.	04/10/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions at (269) 568-2686. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Roxanne Duckworth, Licensing Consultant  
 Child Care Licensing Bureau  
 611 West Ottawa Street  
 P.O. Box 30664  
 Lansing, MI 48909