



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

September 11, 2023

Christine Whitmire
Heritage Southwest Intermediate School District
61682 Dailey Rd.
Cassopolis, MI 49031

RE: License #: DC140409711
Eagle Lake Elementary GSRP
23889 Avenue C
Edwardsburg, MI 49112

Dear Christine Whitmire:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in black ink that reads "Amy Steger".

Amy Steger, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30837
Lansing, MI 48909
(269) 568-2915

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC140409711
Licensee Name:	Heritage Southwest Intermediate School District
Licensee Address:	61682 Dailey Rd. Cassopolis, MI 49031
Licensee Telephone #:	(269) 445-3891
Administrator/Licensee Designee:	Christine Whitmire, Designee
Name of Facility:	Eagle Lake Elementary GSRP
Facility Address:	23889 Avenue C Edwardsburg, MI 49112
Facility Telephone #:	(269) 445-6283
Capacity:	54
Program Type:	CHILD CARE CENTER

II. Purpose of Addendum

The licensee designee requested to change the ages of children served to include children 2 years 6 months through 6 years of age.

III. Methodology

08/31/2023 Modification request received

09/11/2023 Modify Terms

IV. Description of Findings and Conclusions

The terms of this license were modified on 09/11/2023 and 09/08/2022.

Eagle Lake Elementary School GSRP is located within Eagle Lake Elementary School in Edwardsburg, MI. The school is across the street from a small subdivision in a rural setting.

The following rooms are approved as child use space:

- **Room 11** is 27'x26' providing for a total of 702 square feet. This allows for the requested capacity of 18 preschool children.
- **Room 12** is 26'x26' providing for a total of 676 square feet. This allows for the requested capacity of 18 preschool children.
- **Room 13** is 24'x28' providing for a total of 672 square feet. This allows for the requested capacity of 18 preschool children.

The total space is sufficient for the requested capacity of 54 children ages 2 years 6 months through 6 years.

There are bathrooms located in each classroom and in the hallway accessible to children. Room 11 has one toilet and one handwashing sink. Room 12 has one toilet and one handwashing sink. Room 13 has one toilet and one handwashing sink. The girls' bathroom in the hallway has five toilets and three handwashing sinks. The boys' bathroom has four urinals, two toilets, and three handwashing sinks. There are bathrooms located in the hallway near the outdoor play area. The girl's bathroom has four toilets and three handwashing sinks. The boy's bathroom has two toilets, two urinals, and three handwashing sinks. There are a total of 16 toilets, six urinals, and 15 handwashing sinks available for child use.

The classrooms are furnished with an adequate variety of developmentally appropriate equipment.

An environmental health inspection was completed on 08/27/2021 receiving an "A" rating. A certification of school building fire safety provisions was signed on 08/24/2022. A lead hazard risk assessment was completed on 09/01/2021. New inspections were not required.

Terms:

The center is approved for a total capacity of 54 children ages 2 years 6 months through 6 years of age.


The program is approved for full meal service served through the Eagle Lake elementary School's licensed kitchen. Breakfast, lunch, and snacks will be provided.

Transportation is provided through Edwardsburg Public Schools.

There is no swimming component.

V. Recommendation

I recommend the center serve children ages 2 years 6 months through 6 years of age.



09/11/2023

Amy Steger
Licensing Consultant

Date