



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

DR BEVERLY WALKER  
GRIFFEA  
DIRECTOR

**Report Type** : Renewal  
**Inspection Type:** Renewal

**Date of Inspection:** 8/7/2024  
**Date of Report:** 8/8/2024

<b>Licensee Name(s)</b>	<b>License Number</b>
Linden Free Methodist Church	DC250078797
<b>Capacity</b>	<b>Facility Name</b>
180	Wee Care Child Development Center
<b>Program Type</b>	<b>Licensee Designee(s)</b>
Center	Shauna Ann Schaefer
<b>Central Administrator(s)</b>	<b>Program Director(s) Name</b>
	Shauna Ann Schaefer <b>Qualifications:</b> R 400.8113(7)(f) (9). <b>Date PD Approved:</b> 9/9/2017
<b>Facility Address</b>	<b>Mailing Address</b>
13274 S Linden Rd Linden, MI, 48451	13274 S Linden Rd Linden, MI, 48451
<b>Facility Phone Number</b>	<b>Facility Email Address</b>
8107359595	shauna@weecarecdc.net

### Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the renewal inspection, licensing consultant Lisa Gundry found no violations. A regular license will be issued.

If you have any questions regarding the report, please contact licensing consultant, Lisa Gundry, at (810) 931-1220. In the event that Lisa Gundry is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Inspection Details</b>		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
811	0	5
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
10 : 150	10 : 20	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
49 : 49	16 : 16	0 : 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Furnace and water heater	3/5/2024	No deficiencies found.
Environmental Inspection	4/10/2024	No deficiencies found.
Fire Safety Inspection	5/5/2022	Approved


<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
--------------------	-------------	-----------------	-------------------

<b>Technical Assistance</b>	
<i>Rule Number</i>	<i>Rule</i>
R 400.8555	Open-flame devices; candles.
R 400.8530(9)	The center shall not store flammable materials, including fuels, pressurized cans, cleaning fluids and supplies, polishes, and matches, in heat plant enclosures. These items may be stored outside of child use areas in metal cabinets or storage facilities accessible only to authorized personnel.

	Storage items in a heat plant room such as cardboard boxes, plastic containers, wooden items, paper products, decorations or clothing.
R 400.8143(2)	Child information cards must be reviewed and updated by parents at least annually and when the center becomes aware of changes.  Completing all boxes on the form.
R 400.8315(1)	Each refrigerator must have an accurate working thermometer indicating a temperature of 41 degrees Fahrenheit or below.  Monitor fridge temps.
R 400.8520(14)	Combustible materials and decorations may be displayed on walls, not to exceed 20% of each wall in each room. Combustible materials and decorations suspended from or near the ceiling are prohibited.  Suspended items from the ceiling.

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
06:00 AM To 6:00 PM	06:00 AM To 6:00 PM	06:00 AM To 6:00 PM	06:00 AM To 6:00 PM	06:00 AM To 6:00 PM		

Bureau Recommendation
I recommend issuance of a regular license.

<b>Approved By:</b>			
 <b>8/8/2024</b>			
Lisa Gundry			

Licensing Consultant	Date		