GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

May 20, 2022

Latoya Summey
Genesee Intermediate School District
2413 West Maple Avenue
Flint, MI 48507

RE: License #: DC250346764
Flushing Great Start Readiness Program
3088 North Seymour Road
Flushing, MI 48433

Dear Dr. Summey:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our website under Statewide Search for Licensed Child Care Centers and Homes. A description of when renewal inspection reports are completed can be found under Overview of Licensing Reports.

As a result of the renewal inspection on 5/12/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2021:	**Total**
Number of serious injuries that occurred in facility.	**0**
Number of deaths that occurred in the facility.	**0**
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	**0**

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

Juli Gohl, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P. O. Box 30664
Lansing, MI 48909-8164
(810) 423-2832

Enclosure

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #:	DC250346764
Licensee Name:	Genesee Intermediate School District
Licensee Address:	2413 West Maple Avenue Flint, MI 48507
Licensee Telephone #:	(810) 591-5150
Licensee/Designee:	Latoya Summey, Designee
Name of Facility:	Flushing Great Start Readiness Program
Facility Address:	3088 North Seymour Road Flushing, MI 48433
Facility Telephone #:	(810) 591-5150
Original Issuance Date:	09/26/2013
Capacity:	36
Age Range:	Ages 2 years 6 months Thru 5 years 11 months
Program Components:	GSRP

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 05/12/2022
Date of Environmental Health Inspection: N/A
Date of Fire Safety Inspection: 01/25/2022
Date of Lead Hazard Risk Assessment, if applicable:
Date of Documentation of Playground Compliance, if applicable:

		No. of Records Reviewed
No. of children enrolled in care	30	10
No. of staff employed	9	5
No. of volunteers	0	0
No. of children present at time of inspection	26	
No. of staff present at time of inspection	6	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	26	

Persons Interviewed:		
	Licensee/Licensee Designee	☐
	Program Director	☒
	Caregiving staff	☒

Approved Child Use Space: Two preschool rooms (109 and 110).
Approved Program Director: Amanda Beaver and Monica Buys
Approved Central Administrator: Melanie Briggs
Approved Variances: None
Key Indicator Inspection: No

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

NOTE: At the time of the processing of the renewal, the facility had not received a copy of the fuel-fired water heater inspection. They will provide a copy of this inspection to the department once it is received.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.

05/20/2022

Juli Gohl Date
Licensing Consultant