



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

May 24, 2022

Lisa Kaiser
J & K Novak, Inc.
8492 Mapleview Dr.
Davison, MI 48423

RE: License #: DC250351097

RE: SI LOG #: **Kidcare**
3181 N. State Rd
Davison, MI 48423

Dear Mrs. Kaiser:

This letter is to advise you that the 05/24/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.


Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8143(3) Children's records.	At the time of the inspection, 1 out of 10 children's files reviewed did not have an immunization report completed.	Ms. Kaiser will work with the parents to ensure they have the form completed in the required timeframes.	05/24/2022 and ongoing
R 400.8143(6) Children's records.	At the time of the inspection, 2 out of 10 children's files reviewed had a physical completed over 30 days after initial attendance.	Ms. Kaiser acknowledged that this might have happened a couple times. She will work with the parents to ensure they have the form completed in the required timeframes.	05/24/2022 and ongoing

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#)

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

Sincerely,

A handwritten signature in cursive script that reads "Lisa Gundry".

Lisa Gundry, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa St.
P.O. Box 30664
Lansing, MI 48909-8164
(810) 931-1220