



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 25, 2020

Latausha Wilson
Flint Community Schools
923 E. Kearsley St.
Flint, MI 48503

RE: License #: DC250364193
Southwestern Classical Academy
1420 West Twelfth Street
Flint, MI 48507

Dear Ms. Wilson:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 11/13/2020, I found *one violation*. The violation is listed below and explained in the attached report:

R400.8380 Maintenance of premises.

Due to the violations, you must send us a corrective action plan by 12/15/2020. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.

- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

| During calendar year 2019: | Total |
|---|--------------|
| Number of serious injuries that occurred in facility. | 0 |
| Number of deaths that occurred in the facility. | 0 |
| Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility. | 0 |

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (810) 787-7031.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Shelly Naples, Licensing Consultant
Bureau of Community and Health Systems
4809 Clio Road
Flint, MI 48504
(586) 256-1962

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

| | |
|--------------------------------|---|
| License #: | DC250364193 |
| Licensee Name: | Flint Community Schools |
| Licensee Address: | 923 E. Kearsley St. Flint, MI 48503 |
| Licensee Telephone #: | (810) 760-5068 |
| Licensee/Designee: | Latausha Wilson, Designee |
| Name of Facility: | Southwestern Classical Academy |
| Facility Address: | 1420 West Twelfth Street Flint, MI 48507 |
| Facility Telephone #: | (810) 760-1400 |
| Original Issuance Date: | 03/16/2016 |
| Capacity: | 100 |
| Age Range: | Ages 12 years Thru 12 years |
| Program Components: | SCHOOL AGE BEFORE/AFTER SCHOOL |

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 11/13/2020
 Date of Environmental Health Inspection: N/A
 Date of Fire Safety Inspection: 08/18/2020
 Date of Lead Hazard Risk Assessment, if applicable:
 Date of Documentation of Playground Compliance, if applicable:

| | No. of Records Reviewed | |
|---|-------------------------------------|---|
| No. of children enrolled in care | 0 | 0 |
| No. of staff employed | 4 | 0 |
| No. of volunteers | 0 | 0 |
| No. of children present at time of inspection | 0 | |
| No. of staff present at time of inspection | 0 | |
| No. of volunteers present at time of inspection | 0 | |
| No. of children interviewed/observed | 0 | |
| Persons Interviewed: | | |
| Licensee/Licensee Designee | <input checked="" type="checkbox"/> | |
| Program Director | <input type="checkbox"/> | |
| Caregiving staff | <input type="checkbox"/> | |

Approved Child Use Space: Room 31, Room 61, Room 64, Room 65 and the cafeteria
 Approved Program Director: Valerie Newman
 Approved Central Administrator: None
 Approved Variances: None
 Key Indicator Inspection: No

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of the interior and exterior of the building. Due to COVID-19 the school is closed to students and staff and at the time of this writing there is no date scheduled for the return of the children to onsite learning. Once the children return to the school, Ms. Wilson will contact me to complete the renewal inspection. At that time I will review the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.8380 Maintenance of premises.

(4) Floors, interior walls, and ceilings must be kept in sound condition, good repair, and maintained in a clean condition.

There were three missing ceiling tiles in Room 31 and two missing ceiling tiles in Room 65.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend no change in the license status.



11/25/2020

Shelly Naples
Licensing Consultant

Date