



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

January 13, 2023

Kerry Horton
 Me, Myself & I Childcare Preschool Center LLC
 7530 Paradise Drive
 Grand Blanc, MI 48439

RE: License #: DC250384812

RE: SI LOG #: **Bri'elle's Learning Center**
4087 S. Center Road
Burton, MI 48519

Dear Mr. Horton:

This letter is to advise you that the 01/13/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400. 8380(6) Maintenance of premises.	At the time of the inspection, some of the floor tiles in the bathroom were missing near the toilet. In addition, there was a hole in the wall near the toilet paper holder.	Program Director Terri Stratton agreed to fix the tiles and wall within 30 days. On January 16, 2023, Ms. Stratton texted me pictures of the repairs to the walls and floor tiles that had begun already.	February 13, 2023
R 400. 8380(4) Maintenance of premises.	At the time of the inspection, the floor tile in the infant room was coming apart and there were cracks in some places. They were pointed out to	Ms. Stratton agreed to have these issues corrected within 30 days.	February 13, 2023
R 400. 8380(5) Maintenance of premises.	At the time of the inspection, the walls in a couple of the classrooms were chipped and in need of repair. They were	Ms. Stratton agreed to have these issues corrected within 30 days. On January 16, 2023, Ms. Stratton texted me pictures of the repairs to the walls and floor tiles that had begun already.	

	pointed out to Ms. Stratton during the inspection.		
R 400. 8310(1) Food preparation areas.	At the time of the inspection, the kitchen counter tops were chipped and flaking in several areas where food preparation occurs. In addition, the kitchen cupboards were in disrepair and needing repair and replacement.	Ms. Stratton agreed to have these issues corrected within 30 days.	February 13, 2023
R 400. 8137(1)(c) Diapering; toileting.	At the time of the inspection, three of the classrooms had diaper pads with tears in them.	Ms. Stratton sent me a screenshot of the ordered pads and agreed to have them replaced within one week.	January 20, 2023


Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

Sincerely,



Lisa Gundry, Licensing Consultant
 Child Care Licensing Bureau
 611 W. Ottawa St.
 P.O. Box 30664
 Lansing, MI 48909-8164
 (810) 931-1220