



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 30, 2022

AMENDED VERSION

Laura Breakie-Graybill
The Breakie Bunch Day Care, Inc.
4440 Walton Blvd.
Waterford, MI 48329

RE: License #: DC250411192
The Breakie Bunch Learning Center
8071 S State Road
Goodrich, MI 48438

Dear Ms. Breakie-Graybill:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on July 8, 2022 I found 3 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

- R 400.8170(11) Outdoor play area.
- R 400.8315(1) Food and equipment storage.
- R 400.8335(1) Food services and nutrition; provided by center.

Due to the violations, you must send us a corrective action plan by August 12, 2022.

You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.


Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Catherine S. Edgar, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa St. PO Box 30664
Lansing, MI 48909
(810) 931-1380

Enclosure

CC: Amanda Alsdurf

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DC250411192
Licensee Name:	The Breakie Bunch Day Care, Inc.
Licensee Address:	4440 Walton Blvd. Waterford, MI 48329
Licensee Telephone #:	(810) 636-9080
Licensee/Designee:	Laura Breakie-Graybill, Designee
Name of Facility:	The Breakie Bunch Learning Center
Facility Address:	8071 S State Road Goodrich, MI 48438
Facility Telephone #:	(810) 636-9080
Original Issuance Date:	01/13/2022
Capacity:	50
Age Range:	Ages Birth Thru 12 years
Program Components:	PRESCHOOL SCHOOL AGE INFANT/TODDLER FOOD SERVICE

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 07/08/2022
Date of Environmental Health Inspection: 08/25/2022
Date of Fire Safety Inspection: 12/29/2021
Date of Lead Hazard Risk Assessment, if applicable: N/A (not required as all approved child use space was built after 1978)
Date of Documentation of Playground Compliance, if applicable: None

		No. of Records Reviewed
No. of children enrolled in care	50	10
No. of staff employed	17	5
No. of volunteers	0	0
No. of children present at time of inspection	30	
No. of staff present at time of inspection	7	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	30	

Persons Interviewed:	Licensee/Licensee Designee	☐
	Program Director	☐
	Caregiving staff	☒

Approved Child Use Space: Rooms 303, 304, 305, 311, 312 & gym.

Approved Program Director: Amanda Alsdurf

Approved Central Administrator: None

Approved Variances: On January 7, 2022, a variance to licensing rule R 400.8345(1) – Water supply; plumbing was approved due to arsenic levels in the water at the center exceeding maximum contaminant levels set by the Safe Water Drinking Act. The licensee had agreed to furnish bottled water for children to drink and to cook with until the arsenic levels can be reduced to a safe level. On August 25, 2022, the Genesee County Health Department determined that the the arsenic level had been reduced to a safe level and that the water was safe for consumption, therefore this variance is recinded.

Key Indicator Inspection: No

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.8170 Outdoor play area.

(11) The playground equipment, use zones, and surfacing in the outdoor play area must be inspected by a certified playground safety inspector and an approval granted for playground equipment and areas used before issuance of an original license, upon request of the department, and before using any newly added playground equipment. The center shall provide documentation of the inspection to the department upon request and shall keep it on file at the center.

At the time of the onsite inspection, children in care were using a Step Two climber and a geometric climbing dome located in the outdoor play area. The Step Two piece of equipment is considered “residential” and cannot be used by children in care. I was unable to determine if the climbing dome was approved for commercial playground use. If it is approved for commercial use, it will need a Playground Safety Inspection as well as adequate groundcover placed underneath of it before it may be used by children in care. If this piece is not deemed commercial, it can not be used by children in care.

R 400.8315 Food and equipment storage.

(1) Each refrigerator must have an accurate working thermometer indicating a temperature of 41 degrees Fahrenheit or below.

At the time of the onsite inspection, there were no thermometers located in the refrigerators in Rooms 303, 304, and 305.

R 400.8335 Food services and nutrition; provided by center.


(1) Food and beverages provided by a center must be of sufficient quantity and nutritional quality to provide for the dietary needs of each child according to the minimum meal requirements of the child and adult care food program (CACFP), as administered by the Michigan department of education, based on 7 CFR part 226, 1-1-18 edition, (2018) of the United States Department of Agriculture, Food and

Nutrition Service, CACFP, and is hereby adopted by reference. A copy can be obtained at no cost from CACFP at <http://www.fns.usda.gov/cacfp/meals-and-snacks>. In addition, a copy is available for inspection and distribution at no cost at the Michigan Department of Licensing and Regulatory Affairs, Bureau of Community and Health Systems, Child Care Division, 611 West Ottawa Street, Lansing, MI 48933.

Preschool and School-age children were being served 2% milk with lunch at the center. Children 2 years of age and older must be served skim, ½ % or 1% milk.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.



August 30, 2022

Catherine S. Edgar
Licensing Consultant

Date