



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 29, 2022

Carolyn Scott
Rising Stars Learning Center LLC
7139 Granada Drive
Flint, MI 48532

RE: Application #: DC250412538
Rising Stars Learning Center
1001 N. Franklin Avenue
Flint, MI 48506

Dear Ms. Scott:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a maximum capacity of 22 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Kelly Millar".

Kelly Millar, LMSW, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
989-385-6683

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC250412538
Applicant Name:	Rising Stars Learning Center LLC
Applicant Address:	7139 Granada Drive Flint, MI 48532
Applicant Telephone #:	
Licensee/Designee:	Carolyn Scott, Designee
Name of Facility:	Rising Stars Learning Center
Facility Address:	1001 N. Franklin Avenue Flint, MI 48506
Facility Telephone #:	(810) 309-3035
Application Date:	04/13/2022
Capacity:	22
Program Type:	CHILD CARE CENTER

II. METHODOLOGY

03/26/2022	Inspection Completed-Fire Safety: A
04/13/2022	Enrollment
04/28/2022	Inspection Completed-Environmental Health-A
05/02/2022	Contact - Document Sent Rule & Act booklets; CC Comprehensive Background checks; Reimburse letter & form
05/02/2022	Application Incomplete Letter Sent App - Correct; IRS letter; 5003
05/03/2022	Contact - Document Received IRS letter; 001 & DL for Carolyn (LD)
05/05/2022	Contact - Document Received App - Correct; 5003
05/31/2022	Contact - Document Received IRS letter - Corrected
06/28/2022	Inspection Completed-Heating Approved Lyons Heating and Cooling inspected the furnace and water heater, license # 7115638
06/28/2022	Inspection Completed-Water Heater Lyons Heating and Cooling inspected the furnace and water heater, license #7115638
06/29/2022	Inspection Completed On-site Onsite inspection completed, photo's need to be received with corrections.
07/14/2022	Inspection Completed-Lead Hazard Risk Assessment-Approved

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

The child care center is located in a residential area in Flint MI, Genesee County Michigan. The nearest cross streets are Franklin and Kansas Streets.

Approved space (room numbers, sizes, capacity, and ages of children for which each room/well-defined space is approved, etc.):

Infant Room (Right side of building back half of large room) measures 18 ft. x 14 ft., for a total of 252 square feet. This allows for 5 children between the ages of 6 weeks and 2 years old.

Toddler Room (Right side of building front half of large room) measures 15 ft. x 15 ft., for a total of 225 square feet. This allows for 5 children if they are between the ages of 24 months to 29 months old. This will allow for 6 children if there are ONLY children aged 30 months to 36 months, if not the capacity reverts to 5 children.

Preschool Room (Left side of building, front half) measures 17 ft. x 15ft., for a total of 255 square feet. This allows for 7 children between the ages of 3 years old and 5 years old.

School age Room (Back half of the building, back half of the kitchen) measures 18 ft. x 7 ft., providing a total of 126 square feet. This allows for 4 children between 6 years old and 12 years old.

The total approved space is sufficient for an overall enter capacity of 22 children between the ages of 6 weeks and 12 years of age.

Equipment:

The center has an adequate amount and variety of age-appropriate materials, furniture, books, and games for the intended use. The play equipment is age-appropriate and adequate for the requested capacity of 22 children, ages 6 weeks to 12 years of age.

Number of sinks and toilets:

There are two sinks and two toilets available for child care use. Due to the location of the toilets and sinks, direct supervision of children in their respective rooms, as well as those children in the bathroom, will be utilized. This is adequate for the requested capacity.

Outdoor play area - location, fenced or not, water hazards:

The outdoor play area is a fenced in area behind the center. There are appropriate toys, space, and shade available. There will be direct supervision utilized while outdoor play is occurring. There are no water hazards at the facility in the outdoor area.

Documentation if a lead hazard risk assessment was required and the results:

A lead hazard assessment was conducted on 07/14/2022 by Venturaz Investments LLC, Labwork provided by Accurate Analytical Testing, LLC, ELLAP #100986, by Sheresse Smith Certification #P-06911. There were no areas found with lead hazards.

Documentation of playground safety:

A playground safety inspection is not required as there is no installed playground equipment.

B. Program Description

Ages of children served:

Rising Stars Learning Center will accept children aged 6 weeks to 12 years old.

Proposed days and hours of operation:

Rising Stars Learning Center will operate Monday through Friday, 7:00 AM until 11:00 PM.

Full or part time (AM or PM sessions or both):

Rising Stars Learning Center will accept full and part time children.

Other program components - transportation, swimming, food service:

Rising Stars Learning Center will have a food service component.
There will not be swimming or transportation component included.

Name of program director and under what rules the program director is qualified:

Carolyn Scott has been approved to be the program director under R400.8133(7)(a) and 13.

Is there a central administrator that meets the administrative requirement?

There is not a central administrator.


Explanation of variance(s), if any: There are no variances.

C. Rule/Statutory Violations

There were no rule or statutory violations.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care center (capacity 22).




7/29/2022

Kelly Millar, LMSW
Licensing Consultant

Date

Approved By:



7/29/2022

Candice Case-French
Area Manager

Date