



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

Marlon I. Brown, DPA
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 1/11/2024
Date of Report: 1/11/2024

Licensee Name(s)	License Number
Kingsley Area Schools	DC280020250
Capacity	Facility Name
64	Kingsley Preschool Program
Program Type	Licensee Designee(s)
Center	Kristin Marie Goethals
Central Administrator(s)	Program Director(s) Name
	Kristin Marie Goethals Qualifications: R 400.8113(7)(a) (9). Date PD Approved: 2018-01-03
Facility Address	Mailing Address
311 Clark Street, Kingsley, MI, 49649	402 Fenton, Kingsley, MI, 49649
Facility Phone Number	Facility Email Address
2312635161	kgoethals@kingsleyschools.org

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Center.

During the Interim inspection, licensing consultant Codie Mayhew found 3 violations. The violations are listed and explained below. Due to the violations, the licensee/licensee designee must send the bureau a [corrective action plan](#) by 2/1/2024. The corrective action plan may be submitted in the [Child Care Hub Information Record Portal \(CCHIRP\)](#). The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

If you have any questions regarding the report, please contact licensing consultant, Codie Mayhew, at 231-342-5006. In the event that Codie Mayhew is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.


Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
125	3	1
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
12: 75	5:5	0: 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
56: 56	9: 9	0 : 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.8131(12)	Professional development requirements. When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the	During the inspection, I found that child care staff members Angela Bott and Alison Bunker had not completed the 2022 and 2023 Refresher. Both have been employed at the center since 2018.	Violation Established

	document or complete the activity within 6 months of the notice.		
R 400.8161(1)(e)	Emergency procedures. Crisis management including, but not limited to, intruders, active shooters, bomb threats, and other man-made events.	During the inspection, I observed that there was not a separate emergency plan for active shooters and intruders.	Violation Established
R 400.8385	Poisonous or toxic materials. Poisonous or toxic materials.	During the inspection, I observed a jug of bleach water and a bottle of bleach water next to the children's handwashing sink in classroom 1. In classroom 2, I observed four containers of disinfectant wipes accessible to children in the child use bathroom.	Violation Established

Technical Assistance	
Rule Number	Rule
R 400.8161(2)(e)	A plan for contacting parents and reuniting families.
R 400.8310(2)	Carpeting is prohibited in food preparation areas.

Bureau Recommendation
Upon receipt of an acceptable corrective action plan, I recommend the no change in the status of the license.

Approved By:			
			
		01/11/2024	
Codie Mayhew Licensing Consultant		Date	