



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

April 21, 2023

Michele Knight  
 Forest Area Community Schools  
 7741 Shippy Rd SW  
 Fife Lake, MI 49633

RE: License #: DC280377853  
**Forest Area Preschool**  
**108 Pierce St**  
**Fife Lake, MI 49633**

Dear Ms. Knight:

This letter is to advise you that the 04/19/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8161(2)(h) Emergency procedures.	A child with a documented egg allergy, and another child with a listed dairy allergy did not have plans to accommodate their medical conditions during each type of emergency including serious accident/illness.	Program director/licensee designee Ms. Knight worked with the two families to develop emergency procedures addressing these the children's care during each type of emergency. In the future the program director and lead GSRP teacher will ensure that any child with a chronic medical condition has a plan for their care during each type of emergency.	As of 04/17/2023  Ongoing at initial home visits prior to children starting


R 400.8380(1) Maintenance of premises.	During the inspection, staff were using a disinfectant/chemical pesticide to sanitize the multi-use tables before snack. The manufacturer's directions state that this disinfecting product must not be used on food contact surfaces.	The use of the disinfectant was immediately discontinued. Food safe sanitizer will always be used on tables in the preschool rooms and throughout the school. Test strips will be used to ensure proper concentration.	As of 04/12/2023 and ongoing
R 400.8385 Poisonous or toxic materials.	The disinfectant, Clorox wipes, and a hydrogen peroxide cleaner with labels stating, "Keep Out of Reach of Children" were accessible to children on the counter where the handwashing sink is located.	The lead teacher/caregiver Ms. Robinson ensured that the cleaners/disinfectants were immediately moved to a place out of children's reach. All staff will ensure dangerous/hazardous products and those saying "keep out of reach of children" will be inaccessible to children.	As of 04/12/2023 and ongoing

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (231) 922-5309.

Sincerely,



Renee Libby, Licensing Consultant  
 Child Care Licensing Bureau  
 611 W. Ottawa Street  
 P.O. Box 30837  
 Lansing, MI 48909  
 (231) 357-3087