



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

Marlon I. Brown, DPA
ACTING DIRECTOR

12/15/2023

Amanda Pohl
Haslett Child Development Center
1546 Haslett Road
Haslett, Michigan 48840

License Number: DC330016461

Dear Ms. Pohl,

This letter is to advise you that the 10/19/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Child Care Case Complaint, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8380(1)	At the time of the inspection near the front entrance there was a severely strong odor of a dead animal. There was a sock which appeared to have been there for a while, there was trash, broken toys, tin foil, and plastic pieces. There was a section of grass which was so tall it was at level and/or a bit above the elevated toys in the area. There were bees observed in this area. There was a large outdoor umbrella laying on the ground. There were two sippy cups left out on the outdoor area lying on the	The dead animal was removed the day of the inspection. All of the items outside were picked up/removed, the grass was cut, and had been sprayed prior to the incident and there are no longer bees lingering in that area. Child care staff members will be retrained in the expectations of the daily playground safety checklist. A safety captain will be appointed to ensure the safety checklists are being completed by reviewing the checklists and examining the premise.	11/03/2023

	ground. There was a dirty towel laying on the ground.		
R 400.8170(11)	There was a residential climber with no ground cover being used on the outdoor play area.	The residential climbing equipment was removed and discarded. Future climbing equipment will be placed on approved ground cover and inspected by a certified playground safety inspector.	08/22/2023
R 400.8170(13)	There was a piece of residential climbing equipment on the outdoor play area.	The residential climber was removed and discarded. Future climbing equipment will be placed on an approved ground cover as outlined in the consumer product safety commission handbook for public playground safety.	08/22/2023
R 400.8173(4)(b)	Haslett Child Development Center was using an umbrella free-standing that was not supposed to be free standing creating a safety hazard.	The umbrella was removed and discarded. A playhouse was added to provide the children with shade.	10/03/2023
R 400.8340(3)	Children were using sippy cups that were not labeled with first and last name and the date.	Washable bands with the children's first and last names will be placed around the kitchen provided sippy cups the children use during lunch and snack, which are washed after each use. Additionally, the date will be written and attached to the cups.	10/30/2023
R 400.8380(1)	There was a dirty toilet in the Owl classroom. There were walls that were dirty in the Fawn classroom. There was a piece of missing drywall in one classroom, ceiling tiles with water stains and missing ceiling tiles.	The toilet was cleaned, the walls were fixed/painted, and the ceiling tiles were replaced. Maintenance and safety checks will be conducted weekly. A document was completed to report future maintenance issues and track the steps until remedied. Additionally, a board of director's subcommittee was	10/30/2023

		created to oversee maintenance.	
R 400.8520(14)	There were chimes hanging from the ceiling in the Owl and the Squirrel classroom.	The chimes were taken down. Staff were informed that only flame-retardant materials may be hung from the ceilings. This will also be included in the staff orientation PowerPoint and handbook.	10/03/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact Michelle Gleed at (517) 599-7404 or gleedm@michigan.gov. In the event that Michelle Gleed is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Sincerely,



Michelle Gleed, Licensing Consultant