



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

January 10, 2023

Brynn Lazarus
Scribbles & Giggles Child Care Learning Center
609 N. Verlinden Ave
Lansing, MI 48915

RE: License #: DC330288706

RE: SI LOG #: 2022D0451022
Scribbles & Giggles Learning Center
609 Verlinden Ave.
Lansing, MI 48915

Dear Ms. Lazarus:

This letter is to advise you that the 01/10/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Special Investigation Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8125(1); Staff; volunteer; requirements.	Jessica Marshall and Kristina Harvey did not appropriate supervise Child A when he was able to engage in dangerous play resulting in a broken humerus which required emergency surgery. Ms. Marshall and Ms. Harvey were not maintaining a global view of the outdoor play area when Child A was injured.	Ms. Lazarus stated she has discussed the playground and supervision policy with all child care staff members. She has set proper placement zones where child care staff members should be to ensure they have a global view of the entire playground. All child care staff members will complete a playground safety training through an online workshop by January 30, 2023	January 30, 2023 and ongoing.

		Ms. Lazarus and her assistant will monitor the playground more often when the children are outside.	
R 400.8170(13); Outdoor play area.	The balance beam in the outdoor play area did not have any ground covering in the fall zones. There was only grass surrounding the equipment.	Ms. Lazarus stated the balance beam was removed in August 2023 right after the child was injured.	August 2023
R 400.8170(11); Outdoor play area.	The balance beam in the outdoor area was not inspected by a certified playground inspector prior to use.	Ms. Lazarus stated the balance beam was removed in August 2023 right after the child was injured.	August 2023
R 400.8152(2); Medication; administrative procedures.	Ms. Lazarus administered medication to Child A without written permission.	Ms. Lazarus stated moving forward she will follow her own health policy as well as licensing rules regarding the administration of medication.	Immediately and ongoing
R 400.8170(11); Outdoor play area.	The truck in the outdoor play area did not have any ground covering in the fall zones. There was only grass surrounding the equipment.	Ms. Lazarus stated the truck was disassembled, removed, and disposed of on January 4, 2023.	January 4, 2023
R 400.8170(13); Outdoor play area.	The truck in the outdoor play area was not inspected by a certified playground inspector prior to use.	Ms. Lazarus stated the truck was disassembled, removed, and disposed of on January 4, 2023.	January 4, 2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9727.

Kind regards,

A handwritten signature in black ink, appearing to read "Michelle Gleed", written in a cursive style.

Michelle Gleed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 599-7404