



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

February 1, 2023

Casey McCormick  
Dickinson Iron I.S.D.  
1074 Pyle Drive  
Kingsford, MI 49802

RE: License #: DC360259662  
**Iron River Head Start Center**  
**3257 E. US-2**  
**Iron River, MI 49935**

Dear Mr. McCormick:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 2/1/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517.284.9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Wendy A. Highland". The signature is written in a cursive style with a large initial "W".

*Wendy Highland, M.Ed*  
Child Care Licensing Consultant, CCLB/LARA  
611 W. Ottawa St. PO Box 30664  
Lansing, MI 48904  
517.284.9730

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>LicenseLicense #:</b>	DC360259662
<b>Licensee Name:</b>	Dickinson Iron I.S.D.
<b>Licensee Address:</b>	1074 Pyle Drive Kingsford, MI 49802
<b>Licensee Telephone #:</b>	(906) 779-2695
<b>Licensee/Designee:</b>	Casey McCormick, Designee
<b>Name of Facility:</b>	Iron River Head Start Center
<b>Facility Address:</b>	3257 E. US-2 Iron River, MI 49935
<b>Facility Telephone #:</b>	(906) 265-4414
<b>Original Issuance Date:</b>	10/03/2003
<b>Capacity:</b>	40
<b>Age Range:</b>	Ages 2 years 6 months Thru 5 years 11 months
<b>Program Components:</b>	TRANSPORTATION PRESCHOOL

**II. METHODS OF INSPECTION**

Date of On-Site Inspection(s): 02/01/2023  
 Date of Environmental Health Inspection: N/A  
 Date of Fire Safety Inspection: 12/22/2018  
 Date of Lead Hazard Risk Assessment, if applicable: 02/09/2016  
 Date of Documentation of Playground Compliance, if applicable: N/A

		No. of Records Reviewed
No. of children enrolled in care	39	10
No. of staff employed	5	2
No. of volunteers	0	0
No. of children present at time of inspection	36	
No. of staff present at time of inspection	4	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	36	
Persons Interviewed:		
Licensee/Licensee Designee	<input type="checkbox"/>	
Program Director	<input checked="" type="checkbox"/>	
Caregiving staff	<input checked="" type="checkbox"/>	

Approved Child Use Space: Rooms 101, 109, as well as the gy  
 Approved Program Director: Carrie Winton  
 Approved Central Administrator: None  
 Approved Variances: None  
 Key Indicator Inspection: No

**III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

Observations

Room 109 was engaged in developmentally appropriate choice time.

Room 101 was engaged in developmentally appropriate gross motor play in the gym.

#### IV. RECOMMENDATION

I recommend renewal of this child care license.

*Wendy J. Highland*

02/02/2023

---

Wendy Highland  
Licensing Consultant

Date