GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Addendum to Original Report
Inspection Type: Modification

Date of Inspection: 2/28/2024
Date of Report: 2/29/2024

Licensee Name(s)	**License Number**
YMCA of Greater Grand Rapids	DC410314016
Capacity	**Facility Name**
	Alto YMCA Before & After School
Program Type	**Licensee Designee(s)**
Center	Heather Walczewski
Central Administrator(s)	**Program Director(s) Name**
	Tyson James Hoffman **Date PD Approved:** 1/16/2018
Facility Address	**Mailing Address**
6150 Bancroft, Alto, MI, 49302	475 Lake Michigan Drive Northwest, Grand Rapids, MI, 49534
Facility Phone Number	**Facility Email Address**
6169872600	hwalczewski@grymca.org

Findings of the Inspection

Purpose of Addendum: Add the stage/balcony as approved space.

Findings and Conclusions: The stage/balcony is approved as child use space.

If you have questions regarding the report, please contact licensing consultant, Laura Pastotnik at (616) 373-0198 or pastotnikl@michigan.gov. In the event that Laura Pastotnik is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Description of Facility
Alto YMCA Before and After School Program is located at 6150 Bancroft Southeast in Alto, MI. The program will use the space in Alto Elementary School.

Approved Child Use Space
The licensee/ licensee designee understands that the ratio of child care staff member to children and the maximum group size is determined by the youngest child in the room. Equipment in the room must be appropriate for the ages of the children in the room.

Building/Wing	***Room***	***Notes (location, well-defined space, etc.)***	***Lead Hazard Found***
	Stage/Balcony		N/A
Age Range : Capacity		***Square Footage***	***Space Used to Calculate Capacity***
School age : 12			

Building/Wing	***Room***	***Notes (location, well-defined space, etc.)***	***Lead Hazard Found***
	Gym	The licensee understands that the maximum group size for school age children is 36 in a room or well-defined space per rule 8182.	N/A
Age Range : Capacity		***Square Footage***	***Space Used to Calculate Capacity***
School age : 40		4,100	

Building/Wing	***Room***	***Notes (location, well-defined space, etc.)***	***Lead Hazard Found***
	Cafeteria	The licensee understands that the maximum group size for school age children is 36 in a room or well-defined space per rule 8182.	N/A
Age Range : Capacity		***Square Footage***	***Space Used to Calculate Capacity***
School age : 40		2,640	

Description of Outdoor Play Area			
Location	*Enclosed Space*	*Outdoor Hazards*	*Playground Inspection*
The child care will utilize the elementary school's playground. There is no fence.	Not enclosed	None	A playground inspection is not required.

Number of Sinks and Toilets			
Location	*# of Handwashing Sinks*	*# of Toilets*	*# of Urinals*
Hallway	2	2	1

Hours of Operation						
Monday	*Tuesday*	*Wednesday*	*Thursday*	*Friday*	*Saturday*	*Sunday*
06:30 AM To 6:00 PM	06:30 AM To 6:00 PM	06:30 AM To 6:00 PM	06:30 AM To 6:00 PM	06:30 AM To 6:00 PM	06:30 AM To 6:00 PM	

Terms, Program Components, and Variances							
Full Time or Part Time Care	*Months of Operation*	*Care Before 6 AM*	*Care After 6 PM*	*Before School or After School Care*	*Overnight Care*	*Weekend Care*	*Head Start/GSRP*
	School Year	No	No	Before/After School	No	No	

Food Service	No
Transportation	No
Swimming	No
Variances	

Recommendation	
I recommend approval of the stage/balcony as child use space.	
Approved By:	
Laura Pastotnik	
Laura Pastotnik 2/29/2024 **Licensing Consultant** **Date**	