



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

Marlon I. Brown, DPA
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 10/25/2023
Date of Report: 10/31/2023

Licensee Name(s)	License Number
LESA Early Childhood Programs	DC470291968
Capacity	Facility Name
80	LESA Early Childhood Programs
Program Type	Licensee Designee(s)
Center	Candice Davies
Central Administrator(s)	Program Director(s) Name
	Candice Davies Qualifications: R400.8113(7)(b) and (9) Date PD Approved: 01/30/2003
Facility Address	Mailing Address
1425 W. Grand River, Howell, MI, 48843	1425 W. Grand River, Howell, MI, 48843
Facility Phone Number	Facility Email Address
(517) 540-6840	candicedavies@livingstonesa.org

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Center.

As a result of the Interim inspection(s) on 10/25/2023, licensing consultant Thanh Biehl did not find any rule or law violations.

If you have any questions regarding the report, please contact licensing consultant, Thanh Biehl, at (734) 417-8580. In the event that Thanh Biehl is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
110	0	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
: 80	8:	0:
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
52: 52	8:	0 : 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes
<i>Approved Space</i>		
Classroom 214 Classroom 215 Classroom 216 Classroom 266 Gross Motor Room		

Variations	
<i>Rule Number</i>	<i>Rule</i>
R400.8173 (11) Equipment.	Trampolines and bounce houses must not be used by children in care at the child care center.
R400.8122(9) Lead Caregiver; Qualifications; Responsibilities.	Verification of the education, credentials, and experience of each lead caregiver shall be kept on file at the center or at MiRegistry, www.miregistry.org .
R400.8125 (5)(a)(b)(c) Staff; volunteer; requirements.	A written statement must be signed and dated by staff and volunteers at the time of hiring or before volunteering indicating all of the following information: a) The individual is aware that abuse and neglect of children is against the law. b) The individual has been informed of the center's policies on child abuse and neglect. c) The individual knows that all staff and volunteers are required by law

	to immediately report suspected abuse and neglect to children's protective services.
R400.8112 (2)(b) Comprehensive Background Check; Fingerprinting.	Maintain a copy of the completed and signed form or forms for each individual entered into the child care background check system under the license.
R400.8128 Staff; volunteer; tuberculosis.	A center shall keep on file at the center evidence to verify that each child care staff member and each volunteer who has contact with children at least 4 hours per week for more than 2 consecutive weeks is free from communicable tuberculosis (TB). Verification of TB status is required within 1 year before employment or volunteering.
R 400.8131(11) Professional development requirements.	Verification of all professional development required by this rule must be kept on file at the center or online at MiRegistry, www.miregistry.org . Verification must be issued from the training organization or trainer and include the date of the course, the name of the training organization or trainer, the topic covered, and the number of clock hours. Training hours from MiRegistry also meet this rule.

The child care staff members are employees of the Livingston Educational Service Agency (LESA) and the required documents indicated above for licensing are kept on file at the Education Building located at 1425 W. Grand River, Howell. Under HIPPA laws, personnel information is not allowed at each site level building.

LESA Early Childhood Programs Licensee Designee will verify all required documents. Verification of the required documents will be noted on the LESA Early Childhood On-Boarding Checklist and signed by the Licensee Designee. The Checklist will be kept at the center level and made available upon request of licensing.


Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Environmental Health Inspection	N/A	
Fire Safety Inspection	05/11/2022	A rating
Lead Hazard Risk Assessment	10/19/2007	No lead detected.
Playground Inspection	09/20/2007	
Boiler Inspection	04/04/2022	Expires 04/04/2025

Technical Assistance

<i>Rule Number</i>	<i>Rule</i>
R 400.8170 (13) Outdoor play area	<p>All pieces of playground equipment that have an elevated playing or climbing surface, regardless of the height of the playing or climbing surface, must be surrounded by a shock absorbing surface and meet the guidelines defined by the Consumer Product Safety Commission (CPSC) Handbook for Public Playground Safety, which is available at no cost at www.cpsc.gov. This handbook is also available for inspection, and distribution at no cost, at the Michigan Department of Licensing and Regulatory Affairs, Bureau of Community and Health Systems, Child Care Division, 611 West Ottawa Street, Lansing, MI 48933. The shock absorbing surface material may be either unitary or the loose-fill type. An exception to this subrule is provided for natural playgrounds.</p>

Bureau Recommendation

I recommend no change in the status of the license.

Approved By:			
			
		10/31/2023	
Thanh Biehl	Date		
Licensing Consultant			