



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 16, 2023

Laura Holbert
L'Anse Creuse Public Schools
24076 Pankow
Clinton Twp, MI 48036

RE: License #: DC500018015
Emma V Lobbestael Ele School
38495 Prentiss
Harrison Township, MI 48045

Dear Ms. Holbert:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 3/8/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (810) 787-7031.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "J. DeMuynck". The signature is fluid and cursive, with the first name "J." and the last name "DeMuynck" clearly distinguishable.

Jennifer DeMuynck, Licensing Consultant
Child Care Licensing Bureau
611 W Ottawa St
PO BOX 30664
Lansing, MI 48909
(586) 256-1005

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DC500018015
Licensee Name:	L'Anse Creuse Public Schools
Licensee Address:	24076 Pankow Clinton Twp, MI 48036
Licensee Telephone #:	
Licensee/Designee:	Laura Holbert, Designee
Name of Facility:	Emma V Lobbestael Ele School
Facility Address:	38495 Prentiss Harrison Township, MI 48045
Facility Telephone #:	(586) 783-6450
Original Issuance Date:	
Capacity:	100
Age Range:	Ages 4 years 9 months Thru 12 years
Program Components:	BEFORE/AFTER SCHOOL

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 03/08/2023
Date of Environmental Health Inspection: N/A
Date of Fire Safety Inspection: 01/24/2023
Date of Lead Hazard Risk Assessment, if applicable: N/A
Date of Documentation of Playground Compliance, if applicable: N/A

		No. of Records Reviewed
No. of children enrolled in care	124	20
No. of staff employed	3	3
No. of volunteers	0	0
No. of children present at time of inspection	24	
No. of staff present at time of inspection	3	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	24	
Persons Interviewed:		
Licensee/Licensee Designee	☐	
Program Director	☒	
Caregiving staff	☒	

Approved Child Use Space: The gym/cafeteria, music room (stage) and media room have been approved for use.

Approved Program Director: Cheryl Meyer

Approved Central Administrator: None

Approved Variances: None

Key Indicator Inspection: No

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

During the exit conference I provided Ms. Meyer Technical Assistance regarding safety issues with the outdoor playground's cushion surface. The cushioning material is separating from the concrete causing a tripping hazard for children at play. It was recommended that when the weather is more appropriate the areas be fixed.

IV. RECOMMENDATION



3/16/23

Jennifer DeMuyne
Licensing Consultant

Date