



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Michelle Richard  
ACTING DIRECTOR

**Report Type** : Addendum to Original Report  
**Inspection Type:** Modification

**Date of Inspection:** 5/28/2024  
**Date of Report:** 6/2/2024

<b>Licensee Name(s)</b>	<b>License Number</b>
Romeo Comm Schools Child Development	DC500018902
<b>Capacity</b>	<b>Facility Name</b>
	Croswell Childrens Center
<b>Program Type</b>	<b>Licensee Designee(s)</b>
Center	Jeanine A Beck
<b>Central Administrator(s)</b>	<b>Program Director(s) Name</b>
	Jeanine A Beck <b>Qualifications:</b> R 400.8113(7)(a) (9). <b>Date PD Approved:</b> 11/1/2018
<b>Facility Address</b>	<b>Mailing Address</b>
175 Croswell, Romeo, MI, 48065	175 Croswell, Romeo, MI, 48065
<b>Facility Phone Number</b>	<b>Facility Email Address</b>
5867520314	jeanine.beck@romeok12.org

### Findings of the Inspection

**Purpose of Addendum:** On May 22, 2024, Jeanine Beck, licensee designee, requested a change in use space due to a building construction.

**Findings and Conclusions:** The terms of the original license were modified on May 29, 2024.

If you have questions regarding the report, please contact licensing consultant, Erin Kidd at (810) 931-1786 or [kidde@michigan.gov](mailto:kidde@michigan.gov). In the event that Erin Kidd is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Description of Facility</b>
Croswell Children's Center is single story building operated through Romeo School District.

<b>Approved Child Use Space</b>
The licensee/ licensee designee understands that the ratio of child care staff member to children and the maximum group size is determined by the youngest child in the room. Equipment in the room must be appropriate for the ages of the children in the room.

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
	Welcome Center	The space is used for parent pick up and drop off of enrolled children.	No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
1-12 years: 19  If the capacity of the space exceeds allowable group sizes, the space will be split into two distinct us spaces. Group size and capacity is based on the age of the youngest child.		650	No

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
100	Library		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
1-12 years: 25  If the capacity of the space exceeds allowable group sizes, the space will be split into two distinct us spaces. Group size and capacity is based on the age of the youngest child.		870	No

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
101	Preschool		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 23		810	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
102	Preschool Prep		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 16		567	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
103	Preschool		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 23		810	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
105	GSRP		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 21		810	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
106	Preschool		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 21		676	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
107	GSRP		Yes
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 20		702	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
109	Preschool Full Day		Yes
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 27		948	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
110	GSRP		No

<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 26	924	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
111	Small Gym		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 31	1,085	No	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
112	Preschool Full Day		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 26	918	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
113	Preschool Full Day		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 26	918	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
115	GSRP		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 22	780	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
116	GSRP		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 22	780	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
202	GSRP		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 30		1,053	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
203	GSRP		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 : 22		784	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
204	GSRP		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 22		784	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
205	GSRP		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 22		784	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
303	Preschool Full Day		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 22		780	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
305	GSRP		No

<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 22	780	Yes

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
306	Preschool		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 23	810	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
310	Preschool		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 26	910	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
309	Preschool		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 20	696	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
308	Preschool		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 19	672	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
401	SACC		No
<b>Age Range : Capacity</b>	<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>	
2.5-12 years : 30	1,050	Yes	

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
	Large Gym		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
1-12 years : 72  If the capacity of the space exceeds allowable group sizes, the space will be split into two distinct us spaces. Group size and capacity is based on the age of the youngest child.		5,040	No

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
123	Bathroom/Sickroom	Room will be used as a restroom facility and space for ill children, with direct supervision. The room has a medical cot for resting.	No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
1-12 years :			No

<b>Building/Wing</b>	<b>Room</b>	<b>Notes (location, well-defined space, etc.)</b>	<b>Lead Hazard Found</b>
302	Preschool		No
<b>Age Range : Capacity</b>		<b>Square Footage</b>	<b>Space Used to Calculate Capacity</b>
2.5-12 years : 22		781	Yes

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Plan Review	2/13/2024	Approved contingent upon compliance
Plan Review	4/23/2024	No deficiencies, Full Approval
Environmental Health	9/8/2023	A
Environmental Health	4/16/2024	A

Lead Hazard Risk Assessment	2/21/2024	No lead hazard risks identified
Fire Safety Inspection	9/8/2023	A

Description of Outdoor Play Area			
<i>Location</i>	<i>Enclosed Space</i>	<i>Outdoor Hazards</i>	<i>Playground Inspection</i>
The center has several outdoor play areas located around the building.	Fully fenced in area	There are no outside hazards noted.	

Number of Sinks and Toilets			
<i>Location</i>	<i># of Handwashing Sinks</i>	<i># of Toilets</i>	<i># of Urinals</i>
Welcome Center	1	1	
Hallway near child use spaces	9	11	4
Classroom 101	2	1	
Classroom 102	2	1	
Classroom 103	2	1	
Classroom 105	2	1	
Classroom 106	2	1	
Classroom 107	2	1	
Classroom 109	2	1	
Classroom 110	2	1	
Small Gym	2	1	
Classroom 112	2	1	
Classroom 113	2	1	
Classroom 115	2	1	
Classroom 116	2	1	
Classroom 202	2	1	
Classroom 203	1	2	
Classroom 204	2	1	
Classroom 205	2	1	
Classroom 303	1		

Classroom 305	2	1	
Classroom 306	1		
Classroom 310	1		
Classroom 309	1		
Classroom 308	1		
Outside of Gym	2	4	
Bathroom/Sickroom	1	1	
Classroom 302	1		

<b>Hours of Operation</b>						
<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>	<i>Sunday</i>
06:00 AM To 6:00 PM	06:00 AM To 6:00 PM	06:00 AM To 6:00 PM	06:00 AM To 6:00 PM	06:00 AM To 6:00 PM		

<b>Terms, Program Components, and Variances</b>							
<i>Full Time or Part Time Care</i>	<i>Months of Operation</i>	<i>Care Before 6 AM</i>	<i>Care After 6 PM</i>	<i>Before School or After School Care</i>	<i>Overnight Care</i>	<i>Weekend Care</i>	<i>Head Start/GSRP</i>
Both Full and Part Time	Year Round	No	No	Before/After School	No	No	GSRP
<b>Food Service</b>	Yes						
<b>Transportation</b>	No						
<b>Swimming</b>	No						
<b>Variances</b>							


**Recommendation**

I recommend approval of the Welcome Center, Small Gym, Large Gym, and the Bathroom/Sickroom I recommend approval of Classrooms 101,102, 103, 105, 106, 107, 109, 110, 112, 113, 115, 116, 202, 203, 204, 205, 302, 303, 305, 306, 308, 309, 310, and 401.

**Approved By:**

Erin Kidd

06/02/2024



**Date**

**Licensing Consultant**