



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Renewal
Inspection Type: Renewal

Date of Inspection: 5/21/2024,
Date of Report: 5/24/2024

Licensee Name(s)	License Number
L'Anse Creuse Public Schools	DC500067532
Capacity	Facility Name
142	Higgins Elementary
Program Type	Licensee Designee(s)
Center	Laura Bajercius Dixon
Central Administrator(s)	Program Director(s) Name
	Nicholas Fissette Qualifications: R 400.8113(8)(a) (9). Date PD Approved: 9/1/2022
Facility Address	Mailing Address
29901 24 Mile Road, Chesterfield, MI, 48051	24076 Pankow, Clinton Twp, MI, 48036
Facility Phone Number	Facility Email Address
5867492900	

Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

If you have any questions regarding the report, please contact licensing consultant, Jennifer DeMuyneck, at (586) 256-1005. In the event that Jennifer DeMuyneck is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
383	0	1
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
40 : 135	3 : 3	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
40 : 40	2 : 2	0 : 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Fire Safety School Certification	5/24/2024	Signature of Superintendent

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>
R 400.8170(10)	An outdoor play area and any equipment located on the center's premises must be maintained in a safe condition and inspected daily before use to ensure that no hazards are present.

Hours of Operation						
<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>	<i>Sunday</i>

8:00 PM To 6:00 PM	8:00 PM To 6:00 PM	8:00 PM To 6:00 PM	8:00 PM To 6:00 PM	8:00 PM To 6:00 PM		
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--	--

Bureau Recommendation

I recommend the regular license be renewed.

Approved By:

J. DeMuynck
5/24/24

Jennifer DeMuynck			
Licensing Consultant	Date		