



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

March 5, 2021

Niyoka Wright  
 Chippewa Valley Schools  
 19120 Cass Ave.  
 Clinton Twp., MI 48038

RE: License #: DC500069044  
**Clinton Valley Preschool**  
**1260 Mulberry**  
**Mount Clemens, MI 48043**

Dear Ms. Wright:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 3/4/2021, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2020:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (810) 787-7031.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read 'Linda Pavlovski', written in a cursive style.

Linda Pavlovski, Licensing Consultant  
Bureau of Community and Health Systems  
4809 Clio Road  
Flint, MI 48504  
(586) 243-9496

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DC500069044
<b>Licensee Name:</b>	Chippewa Valley Schools
<b>Licensee Address:</b>	19120 Cass Avenue Clinton Twp., MI 48038
<b>Licensee Telephone #:</b>	(586) 723-5200
<b>Licensee/Designee:</b>	Niyoka Wright, Designee
<b>Name of Facility:</b>	Clinton Valley Preschool
<b>Facility Address:</b>	1260 Mulberry Mount Clemens, MI 48043
<b>Facility Telephone #:</b>	(586) 723-5255
<b>Original Issuance Date:</b>	02/12/1996
<b>Capacity:</b>	16
<b>Age Range:</b>	Ages 2 years 6 months Thru 6 years
<b>Program Components:</b>	GSRP PRESCHOOL

**II. METHODS OF INSPECTION**

Date of On-Site Inspection(s): 03/04/2021  
 Date of Environmental Health Inspection: N/A  
 Date of Fire Safety Inspection: 03/02/2021  
 Date of Lead Hazard Risk Assessment, if applicable:  
 Date of Documentation of Playground Compliance, if applicable:

		No. of Records Reviewed
No. of children enrolled in care	16	10
No. of staff employed	3	3
No. of volunteers	0	0
No. of children present at time of inspection	10	
No. of staff present at time of inspection	3	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	10	
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>
	Program Director	<input checked="" type="checkbox"/>
	Caregiving staff	<input checked="" type="checkbox"/>

Approved Child Use Space: Room 5 and the gym.  
 Approved Program Director: Heidi Jacobi  
 Approved Central Administrator: None  
 Approved Variances: None  
 Key Indicator Inspection: No

**III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

**Technical Assistance:** I observed the self-closing hinge gym exit door opposite from the bleachers to be broken and in need of repair per **R400.8380(3)**. Both doors were also difficult to open and close at the time of the inspection.

#### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.



---

Linda Pavlovski  
Licensing Consultant

03/05/2021  
Date