



STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

GRETCHEN WHITMER  
GOVERNOR

ORLENE HAWKS  
DIRECTOR

January 29, 2021

Virginia Altz and Penny Campbell  
Smarty Pants Preschool & Daycare LLC  
80650 Van Dyke  
Romeo, MI 48065

RE: License #:	DC500277522
RE: SI LOG #:	<b>Smarty Pants Preschool and Child Care 80650 Van Dyke Romeo, MI 48065</b>

Dear Ms. Altz and Ms. Campbell:

This letter is to advise you that the 01/05/2021 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.8110(10)	Infant room moved to another room without department approval.	Licensee designee will submit modification to change infant room.	12/17/2020
R400.8125(5)	Two child care staff members did not have signed abuse and neglect statement on file.	Licensee designee will ensure staff sign required paperwork.	12/17/2020
R400.8131(6)	Child care staff members did not complete 16 hours of annual training as required.	Licensee designee will ensure that child care staff members complete annual training.	12/17/2020
R400.8143(6)(c)	One child care file did not have physical evaluation on file.	Licensee designee will obtain physical evaluation and place in file.	12/17/2020


R400.8146(1)(l)	Five child care files did not have acknowledgement of licensing notebook in file as required.	Licensee designee will ensure child care files have required information.	12/17/2020
R400.8146(2)	Child care files did not have acknowledgement of parent's handbook.	Licensee designee will ensure acknowledgements are placed in file as required.	12/17/2020
R400.8335(8)	Observed a gallon milk container did not have label with date of opened.	Licensee designee will ensure all milk opened is labeled.	12/17/2020
R400.8510(4)	Boiler inspection not on file at time of renewal.	Licensee designee will obtain boiler inspection.	12/17/2020
R400.8510(6)	Hot water tank inspection not on file.	Licensee designee will obtain hot water tank inspection.	12/17/2020

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (810) 787-7031.

Sincerely,



Stephanie A. Williams, Licensing Consultant  
 Bureau of Community and Health Systems  
 4809 Clio Road  
 Flint, MI 48504  
 (586) 744-8940