



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

May 3, 2022

Veda Washington  
Future Scholars LLC  
330 Crocker Blvd  
Mount Clemens, MI 48036

RE: License #: DC500370058  
Future Scholars LLC  
330 Crocker Blvd  
Mount Clemens, MI 48043

Dear Ms. Washington:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 05/03/2022, I found the six violations listed below and explained in the attached report:

- R 400.8131(6) Professional development requirements.**
- R 400.8185(2) Primary care.**
- R 400.8325(4)(d) Sanitization.**
- R 400.8325(5)(d) Sanitization.**
- R 400.8380(1) Maintenance of premises.**
- R 400.8545(3) Fire extinguishers.**


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

| <b>During calendar year 2021:</b>   | <b>Total</b> |
|---|--------------|
| Number of serious injuries that occurred in facility.   | <b>0</b>     |
| Number of deaths that occurred in the facility.   | <b>0</b>     |
| Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility. | <b>0</b>     |

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517)284-9730.

**Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.**

Sincerely,

A handwritten signature in black ink that reads "Juanita Velasquez". The signature is written in a cursive, flowing style.

Juanita G. Velasquez, Licensing Consultant  
(586) 256-2044

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

|                                |   |
|--------------------------------|---|
| <b>License#:</b>               | DC500370058   |
| <b>Licensee Name:</b>          | Future Scholars LLC   |
| <b>Licensee Address:</b>       | 330 Crocker Blvd<br>Mount Clemens, MI 48036                                 |
| <b>Licensee Telephone #:</b>   | (586)213-1531   |
| <b>Licensee/Designee:</b>      | Veda Washington, Designee   |
| <b>Name of Facility:</b>       | Future Scholars LLC   |
| <b>Facility Address:</b>       | 330 Crocker Blvd<br>Mount Clemens, MI 48043                                 |
| <b>Facility Telephone #:</b>   | (586) 213-1531  |
| <b>Original Issuance Date:</b> | 05/27/2015  |
| <b>Capacity:</b>               | 63  |
| <b>Age Range:</b>              | Ages Birth Thru 12 years  |
| <b>Program Components:</b>     | TRANSPORTATION<br>PRESCHOOL<br>SCHOOL AGE<br>INFANT/TODDLER<br>FOOD SERVICE |

**II. METHODS OF INSPECTION**

Date of On-Site Inspection(s): 05/03/2022  
 Date of Environmental Health Inspection: 04/07/2022  
 Date of Fire Safety Inspection: 01/15/2021  
 Date of Lead Hazard Risk Assessment, if applicable: 03/09/2015  
 Date of Documentation of Playground Compliance, if applicable: 06/16/2009

|   |                            | No. of Records<br>Reviewed          |
|---|----------------------------|-------------------------------------|
| No. of children enrolled in care                | 35                         | 6                                   |
| No. of staff employed                           | 7                          | 6                                   |
| No. of volunteers                               | 0                          | 0                                   |
| No. of children present at time of inspection   | 14                         |                                     |
| No. of staff present at time of inspection      | 5                          |                                     |
| No. of volunteers present at time of inspection | 0                          |                                     |
| No. of children interviewed/observed            | 14                         |                                     |
| Persons Interviewed:                            | Licensee/Licensee Designee | <input checked="" type="checkbox"/> |
|   | Program Director           | <input checked="" type="checkbox"/> |
|   | Caregiving staff           | <input checked="" type="checkbox"/> |

Approved Child Use Space: Infant, toddler, preschool 1, preschool 2, school age and activity rooms.  
 Approved Program Director: Veda Washington  
 Approved Central Administrator: None  
 Approved Variances: None  
 Key Indicator Inspection: No

**III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.8131 Professional development requirements.**

(6) All child care staff members who work directly with children shall complete 16 clock hours of professional development annually on topics relevant to job responsibilities that include, but are not limited to, any of the following subjects:

- (a) Child development and learning.
- (b) Health, safety, and nutrition.
- (c) Family and community collaboration.
- (d) Program management.
- (e) Teaching and learning.
- (f) Observation, documentation, and assessment.
- (g) Interactions and guidance.
- (h) Child care center administrative rules.

During the onsite inspection, two out of the six child care staff member files reviewed did not have 16 hours of professional development in 2021.

**R 400.8185 Primary care.**

(2) The center shall implement a primary care system so that each infant and toddler has a primary caregiver.

During the onsite inspection, a primary care system was not implemented in the toddler/transition classroom.

**R 400.8325 Sanitization.**

(4) Multi-use tableware and utensils must be washed, rinsed, and sanitized using 1 of the following methods:

(d) A 2-compartment sink for washing and rinsing, a third container suitable for complete submersion for sanitizing, and adequate drain boards.

(5) If the manual washing method is used, as referenced in subrule (4)(c) and (d) of this rule, all of the following must be done:

(d) Sanitize using 1 of the following methods:

(ii) Immersion for at least 1 minute in a solution containing between 50 and 100 parts per million of chlorine or comparable sanitizing agent at a temperature of at least 75 degrees Fahrenheit. A test kit or other device that measures parts per million concentration of the solution must be used when a chemical is used for sanitizing.

During the onsite inspection, children's cups were washed and rinsed in the classroom sink. The classroom sink is a one compartment sink and the cups were not sanitized after being washed and rinsed.

**R 400.8380                      Maintenance of premises.**

(1) The premises must be maintained in a clean and safe condition and must not pose a threat to health or safety.

During the onsite inspection, I observed the following:

- Peeling paint in the preschool classroom, toddler/transition classroom and preschool bathroom.
- Light bulbs burned out in the preschool and toddler/transition classrooms.
- A roof leak that spanned across the activity room and damaged several ceiling tiles.
- Large pot holes in the driveway where parents and children enter.
- A door handle of an egress door in the preschool room was missing.

**R 400.8545                      Fire extinguishers.**


(3) Fire extinguishers shall be properly mounted, inspected, and maintained in accordance with NFPA-10. The fire extinguisher shall bear a tag indicating the last date of inspection or service and the initials of the person who performed the inspection or service.

Fire extinguishers throughout the building had not been serviced since 2020. The fire extinguishers were not inspected and maintained in accordance with NFPA-10.

A corrective action plan was requested and approved on 05/03/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

**IV. RECOMMENDATION**

I recommend issuance of a regular license to this child care center.



05/03/2022

---

Juanita G. Velasquez  
Licensing Consultant

Date