



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 26, 2022

Melissa Laseck
Mt Clemens Comm School District
167 Cass Avenue
Mt Clemens, MI 48043

RE: License #: DC500378160
King Academy
400 Clinton River Drive
Mt. Clemens, MI 48043

Dear Ms. Laseck:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 04/19/2022, I found two violations listed below and explained in the attached report:

- R 400.8143 (7) Children's records.
- R 400.8161 (5) Emergency procedures.


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517)284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script, reading "Juanita Velasquez".

Juanita G. Velasquez, Licensing Consultant
(586) 256-2044

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: DC500378160

Licensee Name: Mt Clemens Comm School District

Licensee Address: 167 Cass Avenue
Mt Clemens, MI 48043

Licensee Telephone #:

Licensee/Designee: Melissa Laseck, Designee

Name of Facility: King Academy

Facility Address: 400 Clinton River Drive
Mt. Clemens, MI 48043

Facility Telephone #: (586) 461-3100

Original Issuance Date: 09/18/2015

Capacity: 72

Age Range: Ages 3 years 0 months Thru 6 years

Program Components: GSRP
TRANSPORTATION
FOOD SERVICE
BEFORE/AFTER SCHOOL

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 04/19/2022
 Date of Environmental Health Inspection: N/A
 Date of Fire Safety Inspection: 11/02/2020
 Date of Lead Hazard Risk Assessment, if applicable: N/A
 Date of Documentation of Playground Compliance, if applicable: 03/01/2017

		No. of Records Reviewed	
No. of children enrolled in care	52	12	
No. of staff employed	10	10	
No. of volunteers	0	0	
No. of children present at time of inspection	44		
No. of staff present at time of inspection	8		
No. of volunteers present at time of inspection	0		
No. of children interviewed/observed	44		
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>	
	Program Director	<input checked="" type="checkbox"/>	
	Caregiving staff	<input checked="" type="checkbox"/>	

Approved Child Use Space: Rooms 301, 302, 303, 304, gym and cafeteria
 Approved Program Director: Melissa Laseck
 Approved Central Administrator: None
 Approved Variances: None
 Key Indicator Inspection: No

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.8143 Children's records.

**(7) Physical evaluations must be updated as follows:
(b) Every 2 years for preschoolers.**

Three out of 12 children's files reviewed did not have a physical on file.

R 400.8161 Emergency procedures.


(5) A fire drill program, consisting of at least 1 fire drill quarterly, must be established and implemented.

Fire drills were not conducted in the winter quarter (Dec/Jan/Feb) of both the 2020/2021 and 2021/2022 school years.

A corrective action plan was requested and approved on 04/19/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.



04/26/2022

Juanita G. Velasquez
Licensing Consultant

Date