



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 2, 2023

Amelia Marshall
Precious Angels Christian Academy
24475 St. Francis
Clinton Township, MI 48036

RE: License #: DC500405454
Precious Angels Christian Academy
24475 St. Francis
Clinton Twp, MI 48036

Dear Mr. and Mrs. Marshall:

This letter is to advise you that the 07/19/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8122(5) Lead caregiver; qualifications; responsibilities.	Three lead caregivers did not have the minimum credentials required to be a lead caregiver and a variance was not requested prior to the renewal inspection.	Mr. and Mrs. Marshall will ensure that all lead caregivers have the required credentials or a variance requested.	07/24/2023
R 400.8131(12) Professional development requirements.	Three out of ten child care staff files reviewed did not have the required refresher trainings.	Mr. and Mrs. Marshall will ensure that all child care staff members complete the refresher trainings annually.	07/29/2023
R 400.8131(2)	An infant child care staff member did not have	Mr. and Mrs. Marshall will ensure that all infant/toddler caregivers	07/19/2023

Professional development requirements.	training in the prevention of sudden infant death syndrome and use of safe sleep practices before caring for infants and toddlers.	have safe sleep training prior to caring for children.	
R 400.8131(6)(a-h) Professional development requirements.	Four out of ten child care staff records reviewed did not have 16 hours of professional development annually.	Mr. and Mrs. Marshall will ensure that all child care staff complete 16 hours of professional development annually and maintain documentation of completion.	07/21/2023
R 400.8161(5) Emergency procedures.	A fire drill was not conducted during the first quarter of 2023.	Mr. and Mrs. Marshall will ensure that fire drills are conducted quarterly.	07/19/2023
R 400.8170(13) Outdoor play area.	During the onsite inspection, I observed children playing on residential climbing equipment that had been placed in the outdoor play area. Residential climbing equipment is not allowed and does not comply with the CPSC Handbook for Public Playground Safety.	Mr. and Mrs. Marshall will remove the residential climbing equipment from the outdoor play area.	07/24/2023
R 400.8305(2)(c) Plan review; approval; inspections.	The center prepares and serves food. An environmental health inspection was not done every 2 years, at the time of renewal.	Mr. and Mrs. Marshall will schedule and complete an environmental health inspection every 2 years at renewal.	08/10/2023
R 400.8325(4) Sanitization.	During the onsite inspection, children's personal beverage containers were used for water, rinsed then used for milk. The classroom sink is a one compartment sink. The beverage containers were not washed, rinsed, and sanitized before being reused.	Mr. and Mrs. Marshall will have parents provide an additional cup for milk. Multi-use tableware will not be washed in the classrooms.	07/24/2023

R400.8325(5)(d)(ii) Sanitization.	During the onsite inspection, children's cups were washed and rinsed in the classroom. The sink used was a one compartment sink and the cups were not sanitized after use.	Mr. and Mrs. Marshall will have parents provide an additional cup for milk. Multi-use tableware will not be washed in the classrooms.	07/24/2023
R 400.8380(1) Maintenance of premises.	During the onsite inspection, I observed the following: <ul style="list-style-type: none"> • Lights were burned out in rooms 1,5 and 6. • In room 2, bleach was unsecured under the classroom sink. • In room 2, children's topical ointments were within reach of children. 	Mr. and Mrs. Marshall will repair or replace the burned out light bulbs and secure hazardous items.	08/10/2023- lights 07/19/2023- hazardous items
R 400.8510(3) Plans and specifications; submission; approval; inspections.	A fire safety inspection was last conducted since 08/19/2020. An additional fire safety inspection was not conducted every 4 years, at the time of renewal.	Mr. and Mrs. Marshall will schedule and complete a fire safety inspection. Fire safety inspections will be conducted every 4 years, at renewal.	07/25/2023
R 400.8510(4) Plans and specifications; submission; approval; inspections.	The boiler had not been inspected and approved since 2019.	Mr. and Mrs. Marshall will schedule and complete a boiler inspection and complete boiler inspections are required by LARA.	07/21/2023
R 400.8530(10) Hazard Areas.	During the onsite inspection, I observed a plastic children's playhouse, pesticides, chemicals, cardboard, and	Mr. and Mrs. Marshall will ensure that combustibles are removed from the heat plant room.	07/21/2023


	boxes in the heat plant room.		
R 400.8530(11) Hazard Areas.	During the onsite inspection, I observed a gas powered snow blower in the heat plant room.	Mr. and Mrs. Marshall will remove the snow blower and ensure that no gas powered equipment is stored in the heat plant room.	07/21/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517)284-9730.

Sincerely,



Juanita G. Velasquez, Licensing Consultant