



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

August 11, 2022

Alexus Yancey  
Little Conquerors Child Development Center Inc.  
31542 Gratiot Ave  
Roseville, MI 48066

RE: License #: DC500405654  
Little Conquerors Daycare  
31542 Gratiot Ave.  
Roseville, MI 48066

Dear Ms. Yancey:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your center on 08/10/2022. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

The violations that were found are:

**R 400.8170 Outdoor play area.**

(13) All pieces of playground equipment that have an elevated playing or climbing surface, regardless of the height of the playing or climbing surface, must be surrounded by a shock absorbing surface and meet the guidelines defined by the Consumer Product Safety Commission (CPSC) Handbook for Public Playground Safety, which is available at no cost at [www.cpsc.gov](http://www.cpsc.gov). This handbook is also available for inspection, and distribution at no cost, at the Michigan Department of Licensing and Regulatory Affairs, Bureau of Community and Health Systems, Child Care Division, 611 West Ottawa Street, Lansing, MI 48933. The shock absorbing surface material may be either unitary or the loose-fill type. An exception to this subrule is provided for natural playgrounds.

During the onsite inspection, I observed residential climbing equipment in the outdoor play area. Residential climbing equipment is not approved for child care use at child care centers per the Consumer Product Safety Commission (CPSC) Handbook for Public Playground Safety.

**R 400.8188            Sleeping, resting, and supervision.**

(14) Resting or sleeping areas must have adequate soft lighting to allow the child care staff member to assess children.

During the onsite inspection, children were napping and the rooms were dark. It was difficult to see children or child care staff members in the room. It took several attempts to count all of the children in one of the rooms because of the lack of lighting.

**R 400.8840            Swimming activity area.**

(6) The use of hot tubs and private wading pools is prohibited.

Two inflatable wading pools were added to the outdoor play area. One wading pool was emptied, but the other wading pool had not been completely emptied and had dirty, standing water.

Due to the violations, you must send us a corrective action plan by 8/31/2022. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.


Upon receipt of an acceptable corrective action plan, there will be no change to your license status.

You can find a copy of this inspection letter and any associated corrective action plans on our website under Statewide Search for Licensed Child Care Centers and Homes. A description of when inspection letters are completed can be found under Overview of Licensing Reports.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517)284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Juanita Velasquez". The signature is written in a cursive style with a long, sweeping tail on the final letter.

Juanita G. Velasquez, Licensing Consultant  
(586) 256-2044