



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Dr Beverly Walker Griffea  
ACTING DIRECTOR

**Report Type** : Interim  
**Inspection Type:** Interim

**Date of Inspection:** 6/13/2024  
**Date of Report:** 7/11/2024

Licensee Name(s)	License Number
Little House Of Hugs Inc.	DC580322682
Capacity	Facility Name
20	Little House Of Hugs - Baby Hugs
Program Type	Licensee Designee(s)
Center	Christie Lee Reissig
Central Administrator(s)	Program Director(s) Name
	Hailey Jean Ulrich <b>Qualifications:</b> R 400.8113(7)(d) (9). <b>Date PD Approved:</b> 2022-03-02
Facility Address	Mailing Address
14577 S Telegraph, Monroe, MI, 48161	14495 S Telegraph, Monroe, MI, 48161
Facility Phone Number	Facility Email Address
7344572124	mdrperfect@yahoo.com

### Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the on-site inspection, I observed naptime, bottle feeding of infants, hand washing before snack and parent pick up. Interactions between child care staff and children were positive and nurturing.

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Center.

During the Interim inspection, licensing consultant Tanara Abner found 2 violations. The violations are listed and explained below. An acceptable written corrective action plan was received on 7/10/2024.

During the Interim inspection, licensing consultant Tanara Abner found 2 violations. The violations are listed and explained below. Due to the violations, the licensee/licensee designee must send the bureau a [corrective action plan](#) by 8/1/2024. The corrective action plan may be submitted in the [Child Care Hub Information Record Portal \(CCHIRP\)](#). The corrective action plan must include the following:


- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

If you have any questions regarding the report, please contact licensing consultant, Tanara Abner, at (734) 255-4395. In the event that Tanara Abner is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Inspection Details</b>		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
137	1	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
10 : 19	5 :6	0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
16 : 16	4 : 4	0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes

R 400.8380(1)	Maintenance of premises. The premises must be maintained in a clean and safe condition and must not pose a threat to health or safety.	There was flaking or deteriorating paint on interior surfaces in the classrooms that were accessible to children.	Violation Established
R 400.8137(1)(b)	Diapering; toileting. Is within close proximity to a sink that is used exclusively for hand washing.	The infant/toddler room does not have a hand washing sink within close proximity of their diapering area.	Violation Established

<b>Bureau Recommendation</b>
You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.

<b>Approved By:</b>			
			
Tanara Abner <b>Licensing Consultant</b>	07/11/2024 <b>Date</b>		