



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

November 30, 2022

Mary Trucks  
FiveCAP Inc.  
PO Box 37  
Scottville, MI 49454

RE: License #: DC620257057  
2022D0609021  
RE: SI LOG #: Southern Newaygo FiveCap Head Start Center  
9815 Mason Drive  
Grant, MI 49327

Dear Ms. Trucks:

This letter is to advise you that the 11/29/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Special Investigation Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.8325(1)	Water that was being used to clean tables was contaminated	The well to the facility was cleaned and repaired. The well has been cleared as safe to be used by the health department. The facility will be conducting monthly water testing and sending the results to Child Care Licensing.	Well repaired 10/3/2022. Testing to be completed monthly for a year.
R400.8350(1)	The center did not have clean and operating sinks and toilets due to a contaminated well and during well repair.	The well to the facility was cleaned and repaired. The well has been cleared as safe to be used by the health department. The facility will be conducting monthly water testing and	Well repaired 10/3/2022. Testing to be completed

		sending the results to Child Care Licensing.	monthly for a year.
R400.8173(4)	The center was not able to clean play equipment and toys because the well was being repaired.	The well to the facility was cleaned and repaired. The well has been cleared as safe to be used by the health department. The facility will be conducting monthly water testing and sending the results to Child Care Licensing.	Well repaired 10/3/2022. Testing to be completed monthly for a year.
R400.8350(5)	The center did not have warm water while the well was being cleaned and repaired.	The well to the facility was cleaned and repaired. The well has been cleared as safe to be used by the health department. The facility will be conducting monthly water testing and sending the results to Child Care Licensing.	Well repaired 10/3/2022. Testing to be completed monthly for a year.
R400.8345(1)	The well tested positive for bacteria and was not safe to use.	The well to the facility was cleaned and repaired. The well has been cleared as safe to be used by the health department. The facility will be conducting monthly water testing and sending the results to Child Care Licensing.	Well repaired 10/3/2022. Testing to be completed monthly for a year.

Sincerely,



Jeffrey Ball, Licensing Consultant  
 Child Care Licensing Bureau  
 611 West Ottawa  
 P.O. Box 30664  
 Lansing, MI 48909  
 (616) 490-9570