



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 21, 2022

Shannon Hall
Jewish Comm Ctr Of Metro Det
6600 West Maple
West Bloomfield, MI 48322

RE: License #: DC630016755

RE: SI LOG #: **JCC Child Development Center
6600 West Maple
West Bloomfield, MI 48322**

Dear Mrs. Hall:

This letter is to advise you that the 11/21/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8122 (9) Lead caregiver; qualifications; responsibilities.	Three lead caregivers did not have verification of education and hours of experience on file at the center.	We will add this documentation to their files.	11/23/2022

R 400.8152 (4) Medication; administrative procedures.	The breathing treatment and epi pen at the center did not have the pharmacy label indicating the physician's name, child's first and last name, instructions, name, and strength of the medication.	Request parents bring in original script/box for medication and create stronger medication system.	12/21/2022
R 400.8152 (5) Medication; administrative procedures.	The center has expired Tylenol and epi pen.	Remove from classroom and replace. Create stronger medication system.	12/21/2022
R 400.8170(10) Outdoor play area.	The large playground has exposed stakes sticking out of the ground and the bolts in the edging around the play areas are raised.	We will refrain from using this playground until the spikes are removed and the bolts are hammered back in.	12/30/2022
R 400.8340 (3) Food services and nutrition; provided by parents.	Two bottles in the Infant classroom were dated 11/20/22 and 11/23/2022.	Review bottle requirements with staff and parents.	11/23/2022
R 400.8380 (1) Maintenance of premises.	The toilet bolt covers were missing on the toilets in the Pre-k B, Preschool, and Young Preschool.	Place work order for these to be covered with our maintenance team.	12/21/2022
R 400.8380 (5) Maintenance of premises.	There is deteriorating paint on the play equipment outside.	We will have the handles painted.	12/30/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Thomasa Bond".

Thomasa Bond, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 860-2439