



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 20, 2022

Kimberly McLean
Lake Orion Community Schools
Community Education
455 E Scripps Rd
Lake Orion, MI 48362

RE: License #: DC630018049

RE: SI LOG #: **Carpenter Elementary
2290 Flintridge
Orion, MI 48359**

Dear Ms. McLean:

This letter is to advise you that the 03/31/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.8131 Professional development requirements	The licensee did not ensure that all staff completed a new health and safety training activity. Three of three staff did not complete the Health and Safety 2021 Refresher Course listed on MiRegistry.	Professional Development Requirements: Health and Safety refresher will be completed by all staff.	05/01/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Michelle Fruehan, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 672-9158