



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

May 23, 2022

Ann Robb
Oxford Area Community Schools
105 Pontiac Street
Oxford, MI 48371

RE: License #: DC630023230
OES Child Care Programs
105 Pontiac Street
Oxford, MI 48371

Dear Ms. Robb,

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on May 11, 2022, there were two violations. The violations are listed below and explained in the attached report.

R 400.8131(12) Professional development requirements
R 400.8380(4) Maintenance of premises


You provided an acceptable written corrective action plan. You will receive your license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. If I am unavailable and you need to speak to someone immediately, please contact the central office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Cynthia Jalynski". The signature is fluid and cursive, with the first name "Cynthia" being more legible than the last name "Jalynski".

Cynthia Jalynski, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 860-3222

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DC630023230
Licensee Name:	Oxford Area Community Schools
Licensee Address:	105 Pontiac Street Oxford, MI 48371
Licensee Telephone #:	(248) 969-5035
Licensee/Designee:	Ann Robb, Designee
Name of Facility:	OES Child Care Programs
Facility Address:	105 Pontiac Street Oxford, MI 48371
Facility Telephone #:	(248) 969-5035
Original Issuance Date:	05/03/1996
Capacity:	160
Age Range:	Birth to 12 years
Program Components:	GSRP PRESCHOOL SCHOOL AGE INFANT/TODDLER

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 05/11/2022
Date of Environmental Health Inspection: N/A
Date of Fire Safety Inspection: 03/07/2022
Date of Lead Hazard Risk Assessment, if applicable: 04/29/2010, 05/06/2014
Date of Documentation of Playground Compliance, if applicable: 02/05/15, 03/22/2011

		No. of Records Reviewed
No. of children enrolled in care	140 (estimate)	10
No. of staff employed	27	5
No. of volunteers	0	0
No. of children present at time of inspection	80 (est.)	
No. of staff present at time of inspection	25 (est.)	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	80	
Persons Interviewed:	Licensee/Licensee Designee	☒
	Program Director	☒
	Caregiving staff	☒

Approved Child Use Space: Rooms 1-8 (Oxford Early Learning Center). School age rooms approved are 101, 400-409, the gym and cafeteria.

Approved Program Director: Ann Robb

Approved Central Administrator: N/A

Approved Variances: A variance is approved for R 400.8380(8) regarding lead testing. Space for school-age children noted above is exempt. Children younger than school age are only approved to use rooms 1-8.

Key Indicator Inspection: No

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was in compliance with all applicable rules and statutes except for the following:

R 400.8131

Professional development requirements.

(12) When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.

Three staff members had not completed the 2021 health and safety update.

R 400.8380

Maintenance of premises.


(4) Floors, interior walls, and ceilings must be kept in sound condition, good repair, and maintained in a clean condition.

A portion of drywall flaking on an infant room wall near the exterior door was damaged and flaking.

A corrective action plan was requested and approved on 05/23/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend renewing the license for two years.



5/23/22

Cynthia Jalynski
Licensing Consultant

Date