



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 9, 2023

Elizabeth Hood
KinderCare Education LLC
40605 Eschenburg Drive
Clinton Township, MI 48038

RE: License #: DC630077865

RE: SI LOG #: **KinderCare Learning Center
5480 Rochester
Troy, MI 48098**

Dear Ms. Hood:

This letter is to advise you that the 03/08/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8110 (6) Applicant; licensee; licensee designee; requirements.	The center did not maintain accurate records detailing daily arrival and departure times for each child care staff member.	Child supervision roster (staff attendance portion) retrain for accuracy.	03/31/2023
R 400.8143 (6) Children's records.	One child's physical did not note restrictions.	Child physical updated and returned to the center, parent informed 03/08/2023	03/22/2023

R 400.8173 (4) Equipment.	The toddler's kitchen set has a cracked corner with an exposed screw.	Removal of cabinet from classroom, reorder equipment.	03/08/2023
R 400.8380 (1) Maintenance of premises.	The rug is not secure in the toddler 2 classroom and the preschool classroom toilet has exposed screws.	Workorder for facilities to secure rug and fix toilet.	03/17/2023
R 400.8380 (4) Maintenance of premises.	The preschool molding is not secure in the boy's bathroom.	Workorder for molding to be replaced/secured in bathroom.	03/17/2023
R 400.8380 (7) Maintenance of premises.	The ceiling vents in the classrooms and bathrooms have heavy dust and one light is not working in the preschool classroom.	Vents cleaned and replaced as necessary.	03/17/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Thomasa Bond, Licensing Consultant
 Bureau of Community and Health Systems
 611 W. Ottawa Street
 P.O. Box 30664
 Lansing, MI 48909
 (248) 860-2439