



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

October 7, 2022

DaQuetta Baylor-Boothe
196 W. Montcalm
Pontiac, MI 48342

RE: License #: DC630302890
Weeschool Preschool Learning Center
196 W. Montcalm
Pontiac, MI 48342

Dear Ms. Baylor-Boothe:

This letter is to advise you that the 10/06/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.8110(6) Applicant; licensee; licensee designee; requirements.	Ms. Baylor-Boothe had not maintained accurate records of staff daily arrival and departure times.	Ms. Baylor-Boothe has made staff attendance sheets and will monitor that they are completed.	09/19/2022
R400.8131(11) Professional development requirements.	The center did not have documentation of staff SB's initial health and safety training topics.	Ms. Baylor-Boothe will ensure the health and safety topics are taken by all staff.	12/20/2022
R400.8131(12) Professional development requirements.	There was no documentation that staff DB and KH have completed the MiRegistry	The refresher course will be completed by the staff.	12/20/2022

	2021 Refresher Health and Safety course.		
R400.8143(11) Children's records.	When I arrived at the center there was no record of the children's arrival time for the day. The center had not maintained a daily record of attendance for each child on 09/06/2022 and 09/07/2022.	Ms. Baylor-Boothe made new attendance sheets for the school year which will be filled out and monitored.	09/19/2022
R400.8170(11) Outdoor play area.	Playground equipment: including a newly installed composite play structure, a Step 2 composite play structure, a metal helicopter, a metal airplane, a spring rocker, and 2 crawl tubes have not been inspected and approved by a certified playground safety inspector. Children shall not use this equipment until it is inspected and approved for use.	The playground equipment has been inspected and children will not use the equipment until the inspection report is obtained and until equipment is fixed and approved by the inspector.	12/20/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script, appearing to read "Cheryl Amare".

Cheryl Amare, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 860-0896