



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

February 7, 2022

Stevie Murphy  
Christ The King Church  
1550 W Drahner  
Oxford, MI 48371

RE: License #: DC630385556  
**LakePoint Preschool**  
**1550 W Drahner Road**  
**Oxford, MI 48371**

Dear Ms. Murphy,

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on February 4, 2022, I found four violations. The violations are listed below and explained in the attached report.

- R 400. 8131(8) Professional development requirements.**
- R 400. 8510(5) Plans and specifications; submission; approval; inspections.**
- R 400.8510(6) Plans and specifications; submission; approval; inspections.**
- R 400.8530(1) Hazard Areas.**


You provided an acceptable written corrective action plan. We will send the license by mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. If I am unavailable and you need to speak to someone immediately, please contact the central office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Cynthia Jalynski". The signature is written in a cursive style with a large initial "C".

Cynthia Jalynski, Licensing Consultant  
Child Care Licensing Bureau  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(248) 860-3222

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DC630385556
<b>Licensee Name:</b>	Christ The King Church
<b>Licensee Address:</b>	1550 W. Drahner Oxford, MI 48371
<b>Licensee Telephone #:</b>	(248) 628-0038
<b>Licensee/Designee:</b>	Stevie Murphy, Designee
<b>Name of Facility:</b>	LakePoint Preschool
<b>Facility Address:</b>	1550 W Drahner Road Oxford, MI 48371
<b>Facility Telephone #:</b>	(248) 628-0038
<b>Original Issuance Date:</b>	08/17/2017
<b>Capacity:</b>	22
<b>Age Range:</b>	3 to 5 years
<b>Program Components:</b>	PRESCHOOL

**II. METHODS OF INSPECTION**

Date of On-Site Inspection(s): 02/04/2022  
 Date of Environmental Health Inspection: N/A  
 Date of Fire Safety Inspection: 09/23/2020  
 Date of Lead Hazard Risk Assessment, if applicable: N/A  
 Date of Documentation of Playground Compliance, if applicable: 08/09/2017

		No. of Records Reviewed	
No. of children enrolled in care	24	10	
No. of staff employed	2	2	
No. of volunteers	0	0	
No. of children present at time of inspection	3		
No. of staff present at time of inspection	2		
No. of volunteers present at time of inspection	0		
No. of children interviewed/observed	3		
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>	
	Program Director	<input checked="" type="checkbox"/>	
	Caregiving staff	<input checked="" type="checkbox"/>	

Approved Child Use Space: Rooms 3 and 4 are approved.  
 Approved Program Director: Stevie Murphy  
 Approved Central Administrator: None  
 Approved Variances: None  
 Key Indicator Inspection: No

**III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.8131 Professional development requirements.**

**(8) An on-going professional development plan must be developed and implemented to include all the training and professional development required by these rules.**

The professional development plan did not include all training needs required by the current rules.

**R 400.8510 Plans and specifications; submission; approval; inspections.**

**(5) Fuel-fired furnaces shall be inspected by a licensed mechanical contractor before issuance of an original license and every 2 years at renewal.**

The licensee designee indicated the furnace had not been inspected within the past two years.

**R 400.8510 Plans and specifications; submission; approval; inspections.**

(6) Fuel-fired water heaters shall be inspected by a licensed mechanical contractor or a licensed plumbing contractor before issuance of an original license and every 2 years at renewal.

The licensee designee indicated the water heaters had not been inspected within the past two years.

**R 400.8530 Hazard Areas.**

(10) The center shall not store combustible materials within the central heating plant or fuel-fired water heater rooms or in basements containing fuel-fired heating equipment, without a proper fire separation.

Combustible materials including cardboard boxes and wooden tables were stored in the heat plant room.

A corrective action plan was requested and approved on 02/07/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.


Technical assistance and consultation were provided in the following areas:

- We discussed tweaking the emergency plans and insuring accessibility to written plans.
- Please be sure that the parents receive the medication policy.
- Please be sure that sanitization bottles are clearly labeled.

If you have questions related to storage in the heat plant room, please contact the qualified fire inspector.

#### IV. RECOMMENDATION

I recommend renewing the license for two years.



2/7/22

---

Cynthia Jalynski  
Licensing Consultant

Date