



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Michelle Richard  
DIRECTOR

**Report Type:** Renewal  
**Inspection Type:** Renewal

**Date of Inspection:** 02/13/2024  
**Date of Report:** 02/27/2024

Licensee Name(s)	License Number
South Lyon Community Schools/Early Childhood Ctr.	DC630389844
Capacity	Facility Name
72	Pearson Kids Club
Program Type	Licensee Designee(s)
Center	Kristine Cavicchiolo Michael Lloyd
Central Administrator(s)	Program Director(s) Name
	Mari Shoemaker <b>Qualifications:</b> R 400.8113(8)(a) and (9) <b>Date PD Approved:</b> 10/01/2010
Facility Address	Mailing Address
57900 Eleven Mile Road South Lyon, MI 48178	310 N. Warren South Lyon, MI 48178
Facility Phone Number	Facility Email Address
(248) 573-8760	cavicchiolok@slcs.us

### Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

During the on-site inspection, I observed children in care engaged in a variety of developmentally appropriate activities, including playing board games, coloring, reading, and playing with Legos. I observed toileting, hand washing, and meal service. The child care staff members' interactions with the children were positive and nurturing. They were attentive to the children's needs.

During the renewal inspection, licensing consultant, Alicia Wiggins, found 2 violations. The violations are listed and explained below. An acceptable written corrective action plan was received on 02/27/2024. A regular license will be issued.

If you have any questions regarding the report, please contact licensing consultant, Alicia Wiggins, at (248) 369-7892. In the event that Alicia Wiggins is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Inspection Details</b>		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
381	2	0
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed: Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed: Number of Volunteers</i>
10: 72	5: 8	0: 0
<i>Number of Children Observed: Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
49: 49	3: 3	0: 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	No	Yes


<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Certification of School Building Fire Safety Provisions form CCL-5043	12/07/2023	Compliance
Playground Inspection	08/23/2017	Compliance

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.8170(10)	Outdoor play area. An outdoor play area and any equipment located on the center's premises must be maintained in a safe	I observed exposed concrete at the bottom of one of the slides.	Violation Established

	condition and inspected daily before use to ensure that no hazards are present.		
R 400.8170(16)	Outdoor play area. The depth of the loose-fill surface material must be restored to its required depth when it has moved or becomes otherwise compromised.	The depth of the shock-absorbing material was not restored to its required depth.	Violation Established

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
07:00 AM To 06:00 PM	07:00 AM To 06:00 PM	07:00 AM To 06:00 PM	07:00 AM To 06:00 PM	07:00 AM To 06:00 PM		

Bureau Recommendation
I recommend issuance of a regular license to this child care center.

<b>Approved By:</b>			
			
<b>February 27, 2024</b>			
<b>Alicia Wiggins</b>			
<b>Licensing Consultant</b>	<b>Date</b>		