



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

January 27, 2022

Vanessa Silkwood
Premier Academy - Rochester Hills LLC
2991 W Tienken Rd
Rochester Hills, MI 48309

RE: License #: DC630401649
Premier Academy - Rochester Hills LLC
2991 W Tienken Rd
Rochester Hills, MI 48309

Dear Ms. Silkwood:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your center on 01/27/2022. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

The violations that were found are:

R 400.8137 Diapering; toileting.

(1) Except as provided in subrule (2) of this rule, diapering must occur in a designated diapering area that complies with all of the following:

(b) Is within close proximity to a sink that is used exclusively for hand washing.

The diapering sink in the mobile infants' room was not exclusively used for diapering. There was rinsing of food containers and food containers in the diapering sink.

R 400.8143 Children's records.

(1) At the time of a child's initial attendance, a center shall obtain a child information card, using a form provided by the department or a comparable substitute, that is

completed and signed by the child's parent. The center shall keep it on file and accessible in the center.

Out of the 11 children's records reviewed, 11 cards did not have the date of admission, 4 cards did not have the employer's name, phone number and 1 card did not have the physician's name and phone number.

R 400.8340

Food services and nutrition; provided by parents.

(2) Breast milk, formula, milk, other beverages, and food furnished in a same-day supply must be covered and labeled with the child's first and last name and the date.

Three prepared bottles in the mobile infants' room were not labeled with last names of the children.

R 400.8530

Hazard Areas.

(10) The center shall not store combustible materials within the central heating plant or fuel-fired water heater rooms or in basements containing fuel-fired heating equipment, without a proper fire separation.

The center had combustible materials such as plastic buckets, pillows, mops in the fuel-fired water heater rooms.

Technical assistance was provided regarding peeling paint on the baseboard in the young preschool room, and serving popcorn brought from home to the toddlers.


On 1/27/22, you gave us an acceptable written corrective action plan.

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "B. Yedur".

Bagvati Yedur, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 736-1869