



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 3, 2023

Chaya Glitsenstein
Lubavitch Foundation
425 W. Lincoln Ave
Royal Oak, MI 48067

RE: License #: DC630408943
Lamplighters Preschool
514 E. 4th Street
Royal Oak, MI 48067

Dear Ms. Glitsenstein:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your center on 03/30/2023. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

At the time of the on-site inspection, I provided technical assistance regarding the following Child Care Centers Licensing Rules:

R400.8125(3) Staff; volunteer; requirements.

R400.8131(3)(4)(5)(12) Professional development requirements.

R400.8134(3)(d) Hand washing.

The violations that were found are:

R 400.8125 Staff; volunteer; requirements.

(5) A written statement must be signed and dated by staff and volunteers at the time of hiring or before volunteering indicating all of the following information:

(a) The individual is aware that abuse and neglect of children is against the law.

(b) The individual has been informed of the center's policies on child abuse and neglect.

(c) The individual knows that all staff and volunteers are required by law to immediately report suspected abuse and neglect to children's protective services.

At the time of my on-site inspection Ms. Glitsenstein was unable to provide documentation that staff LB and DK had signed the written statement.

R 400.8170 Outdoor play area.

(11) The playground equipment, use zones, and surfacing in the outdoor play area must be inspected by a certified playground safety inspector and an approval granted for playground equipment and areas used before issuance of an original license, upon request of the department, and before using any newly added playground equipment. The center shall provide documentation of the inspection to the department upon request and shall keep it on file at the center.

During my on-site inspection I observed a residential slide on the outdoor play area.

Due to the violations, you must send us a corrective action plan by 04/24/2023. You can use our corrective action plan form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, there will be no change to your license status.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

You can find a copy of this inspection letter and any associated corrective action plans on our website under Statewide Search for Licensed Child Care Centers and Homes. A description of when inspection letters are completed can be found under Overview of Licensing Reports.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read 'Cheryl Amare', with a long horizontal flourish extending to the right.

Cheryl Amare, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 860-0896