



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

May 22, 2023

Jamie Ouellette  
Swan Valley School District  
8400 O'Hern  
Saginaw, MI 48609

RE: License #: DC730020811

RE: **Swan Valley Learning Center**  
**8400 O'Hern**  
**Saginaw, MI 48609**

Dear Ms. Ouellette:

This letter is to advise you that the 05/09/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.8170 (4) Outdoor play area	The center operates with children in attendance for 3 or more hours a day and does not have an outdoor play area that is at least 1200 square feet, as they took down their playground equipment due to construction and plans to install a new playground. They did not have an outdoor play area they identified and were using at the time of the onsite	The center has identified an outdoor play area that is at least 1200 square feet in the back of the building, and they will put up a temporary fence to ensure child safety. The center will use this area until the outdoor play area until the playground is rebuilt and has been inspected by a Certified Playground Inspector.	05/09/2023


	inspection that was at least 1200 square feet as required.		
R 400.8170 (7) Outdoor play area	At the time of the onsite inspection the center was not utilizing a safe location for the outdoor play area. The center was using the front of the building which is three feet away from the parking lot which is utilized by school buses and parents/students' vehicles throughout the day which makes it an unsafe location for the children to be playing outdoors.	The center has relocated the outdoor play area to the back of the building to ensure children's safety.	05/09/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (989) 732-8062.

Sincerely,



Mary Smith, Licensing Consultant  
 Bureau of Community and Health Systems  
 411 Genesee  
 P.O. Box 5070  
 Saginaw, MI 48605  
 (989) 780-0924