



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 30, 2021

Kayla Cox
Sturgis Public Schools
107 W. West Street
Sturgis, MI 49091

RE: License #: DC750341506
Sturgis Great Start School Readiness Program
303 E. Jerolene
Sturgis, MI 49091

Dear Ms. Cox:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your center on 09/29/2021. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

The violations that were found are:

R 400.8110 Applicant; licensee; licensee designee; requirements.

(3) All of the following must be in a place, accessible, and visible to parents:

(c) A notice stating that the center requires a comprehensive background check on its employees and unsupervised volunteers.

There was not a notice posted in a place visible to parents to state that the center requires a comprehensive background check on its employees and unsupervised volunteers.

R 400.8315

Food and equipment storage.

(1) Each refrigerator must have an accurate working thermometer indicating a temperature of 41 degrees Fahrenheit or below.

The refrigerator in Room 103 did not have an accurate working thermometer in the refrigerator indicating a temperature of 41 degrees Fahrenheit or below. The temperature measured at 52 degrees Fahrenheit.

On September 29, 2021, you gave us an acceptable written corrective action plan.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Carrie Harris, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(269) 615-5617