



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

January 3, 2022

Theresa Buggia
Kids Club Day Care Center & Pre-School, Inc.
1764 Mertz Rd.
Caro, MI 48723

RE: License #: DC790018983
Kids Club Day Care Center
1764 Mertz Road
Caro, MI 48723

Dear Mrs. Buggia:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

Juli Gohl, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P. O. Box 30664
Lansing, MI 48909-8164
(810) 423-2832

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC790018983
Licensee Name:	Kids Club Day Care Center & Pre-School, Inc.
Licensee Address:	4185 Cat Lake Mayville, MI 48744
Licensee Telephone #:	(989) 673-7365
Administrator/Licensee Designee:	Theresa Buggia, Designee
Name of Facility:	Kids Club Day Care Center
Facility Address:	1764 Mertz Road Caro, MI 48723
Facility Telephone #:	(989) 673-7365
Capacity:	57
Program Type:	CHILD CARE CENTER

II. Purpose of Addendum

On 12/13/2021 licensee Theresa Buggia requested that the center's hours be changed to 5:30 am – 6:30 pm.

III. Methodology

12/13/2021 Modification Request Received

IV. Description of Findings and Conclusions

The terms of the original license have been modified on 03/21/2006, 06/25/2007, 11/18/2021, and 01/03/2022.

Kids Club Day Care Center is located on Mertz Road in Caro. The building is a split level with the infants and toddlers on the upper level and the young preschoolers on the main level. The preschoolers and school-agers are in the addition portion of the building on the main level.

On 01/03/2022, I approved the change in hours to 5:30 am – 6:30 pm Monday – Saturday.

The following was previously inspected and approved as child use space:

- The infant room is 8 ft. x 10 ft., plus 14 ft. x 11 ft., providing a total of 234 square feet. This is sufficient space for the capacity of 4 children ages birth through 2.5 years. There is 1 hand washing sink in this room.
- The toddler room is 21 ft. x 22 ft., plus 10 ft. x 16 ft., providing a total of 622 square feet. This is sufficient space for the capacity of 12 children ages birth through 2.5 years.
 - There is a nearby bathroom with 2 toilets and 1 sink.
- The young preschool room is 22 ft. x 20 ft., providing a total of 440 square feet. This is sufficient space for the capacity of 12 children ages 2.5 through 12 years. The room is primarily used for young preschoolers, but during arrival and departure times there may be older children in the room.
 - There is a nearby bathroom with 1 toilet and 2 handwashing sinks.
- The preschool/school-age room is 17 ft. x 13 ft., plus 30 ft. x 27 ft, providing a total of 1,031 square feet. This is sufficient space for the capacity of 29 children ages 2.5 through 12 years. The room is primarily used for

preschoolers/school-agers, but during arrival and departure times there may be young preschoolers over the age of 2.5 years in the room. There is 1 handwashing sink in this room.

- There is a bathroom in this room with 2 handwashing sinks and 1 toilet.

The overall approved child use space is sufficient for the total capacity of 57 children ages birth through 12 years.

The program has a large variety of age appropriate equipment and materials. The equipment supports the center's requested capacity.

Outdoor play for the infants and toddlers occurs in a fenced portion with no installed equipment. Outdoor play for the preschoolers and school-agers occurs in the fenced approved playground.

Food is prepared onsite in the kitchen. The program does not offer swimming or provide transportation.

A lead risk hazard assessment was completed on 12/22/2016 and there were no areas of concern. An A rating fire inspection was received on 11/21/2019. An A rating environmental health inspection was received on 10/19/2021. A playground inspection was completed on 01/17/2009 with no areas of concern.

V. Recommendation

I recommend approval in the change of hours to 5:30 am – 6:30 pm.



01/03/2022

Juli Gohl
Licensing Consultant

Date