



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

April 5, 2022

Monica Slack
St. Paul's Lutheran Church
420 W. Liberty
Ann Arbor, MI 48103

RE: License #: DC810019529
**St Paul's Early Childhood Center
Main Church/Annex
420 W. Liberty St.
Ann Arbor, MI 48103**

Dear Ms Slack:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on April 5, 2022, I did not find any rule or law violations. You will receive your regular license in the mail.

.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Kimberly Brown". The signature is written in a cursive, flowing style.

Kimberly Brown, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
PO Box 30664
Lansing, MI 48909
(734) 417-9703

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

LicenseLicense #: DC810019529

Licensee Name: St. Paul's Lutheran Church

Licensee Address: 420 W. Liberty
Ann Arbor, MI 48103

Licensee Telephone #: (734) 668-0887

Licensee/Designee: Monica Slack, Designee

Name of Facility: St Paul's Early Childhood Center

Facility Address: Main Church/Annex
420 W. Liberty St.
Ann Arbor, MI 48103

Facility Telephone #: (734) 747-6360

Original Issuance Date: 10/02/1987

Capacity: 12

Age Range: Ages Birth Thru 3 years 0 months

Program Components: PRESCHOOL
INFANT/TODDLER

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 04/05/2022
 Date of Environmental Health Inspection: N/A
 Date of Fire Safety Inspection: 08/05/2020
 Date of Lead Hazard Risk Assessment, if applicable:
 Date of Documentation of Playground Compliance, if applicable:

		No. of Records Reviewed	
No. of children enrolled in care	35	15	
No. of staff employed	4	4	
No. of volunteers	0	0	
No. of children present at time of inspection	26		
No. of staff present at time of inspection	4		
No. of volunteers present at time of inspection	0		
No. of children interviewed/observed	26		
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>	
	Program Director	<input checked="" type="checkbox"/>	
	Caregiving staff	<input checked="" type="checkbox"/>	

Approved Child Use Space: Gym and four classrooms on the lower level of church.
 Approved Program Director: Monica Slack
 Approved Central Administrator: Monica Slack
 Approved Variances: None
 Key Indicator Inspection: No


III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.



4/5/22

Kimberly Brown
Licensing Consultant

Date