



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 30, 2022

Dana Jones
Plymouth-Canton Community Schools
11100 Haggerty Rd
Plymouth, MI 48170

RE: License #: DC820021087
Allen Elementary School
11100 Haggerty Road
Plymouth, MI 48170

Dear Mrs. Jones:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 9/27/2022 I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year Enter Previous Year Here:2021	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517*284*9730

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Jeanette Wallington". The signature is written in a cursive, flowing style.

Jeanette C. Wallington, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(313) 938-6221

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820021087
Licensee Name:	Plymouth-Canton Community Schools
Licensee Address:	454 S. Harvey Plymouth, MI 48170
Licensee Telephone #:	(734) 416-2700
Licensee/Designee:	Dana Jones, Designee
Name of Facility:	Allen Elementary School
Facility Address:	11100 Haggerty Road Plymouth, MI 48170
Facility Telephone #:	(734) 416-6196
Original Issuance Date:	
Capacity:	108
Age Range:	Ages 3 years 0 months Thru 5 years 0 months
Program Components:	GSRP PRESCHOOL BEFORE/AFTER SCHOOL

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 09/27/2022
 Date of Environmental Health Inspection: N/A
 Date of Fire Safety Inspection: N/A
 Date of Lead Hazard Risk Assessment, if applicable: N/A
 Date of Documentation of Playground Compliance, if applicable: N/A

		No. of Records Reviewed
No. of children enrolled in care	106	10
No. of staff employed	18	5
No. of volunteers	0	0
No. of children present at time of inspection	75	
No. of staff present at time of inspection	17	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	106	
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>
	Program Director	<input checked="" type="checkbox"/>
	Caregiving staff	<input type="checkbox"/>

Approved Child Use Space: hallway one and two
 Approved Program Director: Dana Jones
 Approved Central Administrator: none.
 Approved Variances: none
 Key Indicator Inspection: no

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

Language for Full Inspection

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.

Jeanette Wallington

9/30/2022

Jeanette C. Wallington
Licensing Consultant

Date