



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

MARLON I. BROWN, DPA  
ACTING DIRECTOR

September 7, 2023

Krystle Dionise  
Starfish Family Services Inc  
30000 Hiveley  
Inkster, MI 48141

RE: License #: **DC820086228**  
**Starfish Family Services**  
**30000 Hiveley**  
**Inkster, MI 48141**

Dear Ms Dionise:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (313) 456-0380.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in black ink that reads "Timika D. Haley".

Timika D. Haley, Licensing Consultant  
Bureau of Community and Health Systems  
Cadillac Pl. Ste 9-100  
3026 W. Grand Blvd  
Detroit, MI 48202  
(313) 938-5903

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DC820086228
<b>Licensee Name:</b>	Starfish Family Services Inc
<b>Licensee Address:</b>	30000 Hiveley Inkster, MI 48141
<b>Licensee Telephone #:</b>	(734) 728-3400
<b>Administrator/Licensee Designee:</b>	Krystle Dionise, Designee
<b>Name of Facility:</b>	Starfish Family Services
<b>Facility Address:</b>	30000 Hiveley Inkster, MI 48141
<b>Facility Telephone #:</b>	(734) 713-9622
<b>Capacity:</b>	315
<b>Program Type:</b>	CHILD CARE CENTER

## II. Purpose of Addendum

Licensee requested to modify classroom #2 from a preschool room to an infant/toddler room.

## III. Methodology

08/03/2023 – Modification request received.  
09/01/2023 – Environmental Health “A” rating

## IV. Description of Findings and Conclusions


Classroom #2 was previously approved for preschool use. The classroom measures at 30ft. X 25ft. totaling 750 square feet. This room can accommodate 15 infant/toddlers from birth to 3-years-old. The room has an identified handwashing sink that will be used for diapering only.

Proper maximum group sizes would need to be followed for all infant/toddler children. Rooms in which the capacity exceeds the maximum group size will ensure that ratios are maintained, and rooms are divided as needed.

At this time, the licensee is requesting to provide care for 8 infant/toddlers in Classroom #2.

## V. Recommendation

I recommend that Classroom #2 be approved childcare space for infant/toddlers aged birth through 3-years-old.



September 7, 2023

---

Timika D. Haley  
Licensing Consultant

Date