



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Renewal
Inspection Type: Renewal

Date of Inspection: 6/11/2024,
Date of Report: 6/18/2024

Licensee Name(s)	License Number
L.A.C.C. CHILD CARE ACADEMY, INC.	DC820263055
Capacity	Facility Name
154	L. A. C. C. Child Care Academy
Program Type	Licensee Designee(s)
Center	Laurie Ann Clark-Horton
Central Administrator(s)	Program Director(s) Name
	Cassandra Robertson-Hayes Qualifications: Date PD Approved: //
Facility Address	Mailing Address
16619 Wyoming Street, Detroit, MI, 48221	16619 Wyoming St, Detroit, MI, 48221
Facility Phone Number	Facility Email Address
3133453744	laccchildcareacademy@hotmail.com

Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the renewal inspection, licensing consultant Sharonda Trammer found 1 violations. The violations are listed and explained below. Due to the violations, the licensee/licensee designee must

send the bureau a [corrective action plan](#) by 7/7/2024. The corrective action plan may be submitted in the [Child Care Hub Information Record Portal \(CCHIRP\)](#). The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

On 06/11/2024, an onsite inspection was completed at L.A.C.C. Child Care Academy, there were 87 children present during the inspection. The children were observed to be prepare for rest time, consume health snacks, and participate in outdoor play. The staff were observed to be attentive to the needs of the children in care.

If you have any questions regarding the report, please contact licensing consultant, Sharonda Trammer, at 5179303791. In the event that Sharonda Trammer is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
852	1	5
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
16 : 16	16 : 16	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
87 : 87	19 : 19	0 : 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Water Heater Inspection	3/13/2024	The unit was found to be in good working condition.
Furnace Inspection	4/15/2024	The unit was found to be in good working condition

Environmental Health Inspection	9/8/2023	The facility has been determined to be in substantial compliance of the rules.
---------------------------------	----------	--

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.8131(12)	Professional development requirements. When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.	There were seven employee files reviewed, two staff had not completed the 2022 and 2023 Health and Safety Refresher Training.	Violation Established

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>
R 400.8161(4)	The crisis management plan required by subrule (2) of this rule must be maintained in a place known and easily accessible to all personnel.
R 400.8173(2)	The current list of unsafe children's products that is provided by the department must be conspicuously posted in the center, as required by section 15 of the children's product safety act, 2000 PA 219, MCL 722.1065.
R 400.8143(1)	At the time of a child's initial attendance, a center shall obtain a child information card, using a form provided by the department or a comparable substitute, that is completed and signed by the child's parent. The center shall keep it on file and accessible in the center.

R 400.8161(6)	A tornado drill program, consisting of at least 2 tornado drills between the months of March through November, must be established and implemented.
R 400.8335(8)(b)	Milk must be served within 7 days of opening.

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
12:00 AM To 11:59 PM	12:00 AM To 11:59 PM	12:00 AM To 11:59 PM	12:00 AM To 11:59 PM	12:00 AM To 11:59 PM	12:00 AM To 11:59 PM	12:00 AM To 11:59 PM

Bureau Recommendation
A corrective action plan has been approved, I recommend the issuance of a regular license (capacity 1-154).

Approved By:			
			
Sharonda Trammer	6/18/2024		
Licensing Consultant	Date		