



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

June 21, 2023

Kimberly Bland
 Detroit Edison Public School Academy
 1903 Wilkins
 Detroit, MI 48207

RE: License #: **DC820283312**
Edison Public School Academy
1903 Wilkins
Detroit, MI 48207

Dear Mrs. Bland:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on June 8, 2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Timika Haley". The signature is written in a cursive style with a large, stylized initial "T".

Timika D. Haley, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(313) 938-5903

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820283312
Licensee Name:	Detroit Edison Public School Academy
Licensee Address:	1903 Wilkins Detroit, MI 48207
Licensee Telephone #:	(313) 833-1100
Licensee/Designee:	Kimberly Bland, Designee
Name of Facility:	Edison Public School Academy
Facility Address:	1903 Wilkins Detroit, MI 48207
Facility Telephone #:	(313) 833-1100
Original Issuance Date:	09/11/2006
Capacity:	135
Age Range:	Ages 2 years 6 months Thru 5 years 0 months
Program Components:	GSRP PRESCHOOL

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 06/08/2023
 Date of Environmental Health Inspection: N/A
 Date of Fire Safety Inspection: 04/04/2023
 Date of Lead Hazard Risk Assessment, if applicable:
 Date of Documentation of Playground Compliance, if applicable:

		No. of Records Reviewed
No. of children enrolled in care	75	15
No. of staff employed	13	13
No. of volunteers	0	0
No. of children present at time of inspection	23	
No. of staff present at time of inspection	12	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	23	
Persons Interviewed:	Licensee/Licensee Designee	<input checked="" type="checkbox"/>
	Program Director	<input type="checkbox"/>
	Caregiving staff	<input checked="" type="checkbox"/>

Approved Child Use Space: Classrooms 171, 170, 169,156,175, 152, 155
 Approved Program Director: Nancy Garvin
 Approved Central Administrator: None
 Approved Variances: None
 Key Indicator Inspection: No


III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care center.



June 21, 2023

Timika D. Haley
Licensing Consultant

Date