



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 21, 2022

Fellecia Duncan
Abundant Life Christian Ministries
25210 Grand River
Redford, MI 48240

RE: License #: DC820313506
Redford Christian Child Development Center
25210 Grand River
Redford, MI 48240

Dear Mrs. Duncan,

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your center on 04/20/2022. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

During the onsite inspection there were eight children present. The children were all in the lower level until it was time for morning group time. The children assembled in the upper level in different classes. They engaged in observing dinosaurs through magnifying glasses. The children are exposed to various extra-curricular activities such as library, music, and computers throughout their daily activities. Technical Assistance was provided regarding ensuring when plugs are used after child care hours, they are covered with safety protectors in order to maintain compliance with the licensing rules. Technical Assistance was also provided regarding ensuring the child information records are completed in their entirety.

The violations that were found are:

R 400.8146 Information provided to parents.

- (1) A center shall provide a written information packet to each parent enrolling a child that includes at least all of the following:
- (d) Discipline policy.

During the onsite inspection, the center did not have a discipline policy written that was available upon request by the department. There was also no documentation that the parents received notification of the discipline policy.

R 400.8350 Toilets; hand washing sinks.

(5) Hand washing sinks must have warm running water not to exceed 120 degrees Fahrenheit.

During the onsite inspection, the toilet in one of the preschool classrooms did not have running water on the hot side of the faucet.

On 04/19/2022, you gave us an acceptable written corrective action plan.


| During calendar year 2021: | Total |
|---|--------------|
| Number of serious injuries that occurred in facility. | 0 |
| Number of deaths that occurred in the facility. | 0 |
| Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility. | 0 |

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517 284-9730..

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Erica Hogan, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202