



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

Marlon I. Brown, DPA
ACTING DIRECTOR

Report Type : Renewal
Inspection Type: Renewal

Date of Inspection: 1/8/2024
Date of Report: 1/9/2024

Licensee Name(s)	License Number
IXL Learning Center-Northville LLC	DC820336142
Capacity	Facility Name
130	IXL Learning Center
Program Type	Licensee Designee(s)
Center	Kelly Plummer Jennifer Moss Melissa Sell Jamie Miller
Central Administrator(s)	Program Director(s) Name
Melissa Sell Jamie Miller	Kelly Plummer Qualifications: R 400.8113(7)(f) (9). Date PD Approved: 2/24/2023
Facility Address	Mailing Address
43333 7 Mile, Northville, MI, 48167	43333 7 Mile, Northville, MI, 48167
Facility Phone Number	Facility Email Address
(248) 349-2223	jamie@ixlkids.com

Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

As a result of the renewal inspection(s) on 1/8/2024, Thanh Biehl, licensing consultant did not find any rule or law violations. A regular license will be issued.

If you have any questions regarding the report, please contact licensing consultant, Thanh Biehl, at (734) 417-8580. In the event that Thanh Biehl is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
731	0	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Child Care Staff Member Records Reviewed : Number of Staff Employed</i>	<i>Number of Volunteer Records Reviewed : Number of Volunteers</i>
15 :	41 :	0 :
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
85 : 85	21 : 21	0 : 0
<i>Licensee Interviewed</i>	<i>Program Director Interviewed</i>	<i>Child Care Staff Members Interviewed</i>
Yes	Yes	Yes
<i>Rooms approved</i>		
Room #1 Infant Room #2 Infant Too Room #3 Toddler Room #4 Toddler Too Room #5 Gross Motor/ School-age (modification submitted; to change to Young Pre-K) Room #6 Young Preschool Room #7 Preschool Room #8 Pre-K		

Variances	
<i>Rule Number</i>	<i>Rule</i>
R400.8325 (4)(b)	Multi-use tableware and utensils shall be washed, rinsed, and sanitized using 1 of the following methods: A domestic dishwasher with sanitizing capacity.
R400.8710	Transportation.


IXL Northville has domestic dishwashers in each classroom. Some of the dishwashers do not have the sanitizing cycle option to be approved for food service operations. If the domestic dishwashers do not meet the 180 degrees Fahrenheit requirement, then the dishwashers will only be used to wash and rinse multi-use tableware and utensils. A sanitizing tub with warm water and bleach will be used as the third step to sanitize.

IXL Northville has an approved variance for R400.8710, Transportation, Rule 710 (1) for the use of Durham School Services for company, teamed with Northville Public Schools. Although Durham School Services works with Northville Public Schools, Durham must comply with State Law to transport children, in the identical manner as the school itself owning them. They comply with Michigan State Law regarding driver, vehicle, and vehicle safety requirements.

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Lead hazard risk assessment	05/12/2017	All interior finishings were completely removed and disposed of. All walls were stripped down to bare blocks, and all door and window jambs were removed. Door and window jambs have been replaced with new wood. All wall coverings were replaced with new drywall. All surfaces have been coated using lead-free paint.
Playground inspection	06/10/2013	The playground equipment was installed by Michigan Recreational Construction, Inc.; Craig Sheffer, CPSI.
Playground inspection	10/19/2016	BCAL 5047 PCS Summary Brion Kilpela, NRPA 23602-0317.
Fire inspection	04/23/2021	A rating
Environmental health inspection	03/23/2023	A rating

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
07:00 AM To 6:00 PM	07:00 AM To 6:00 PM	07:00 AM To 6:00 PM	07:00 AM To 6:00 PM	07:00 AM To 6:00 PM		

Bureau Recommendation
I recommend the issuance of a regular license.

Approved By:			
			
Thanh Biehl	01/09/2024		
Licensing Consultant	Date		