



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 12, 2022

Shekelia Stokes
27276 Grand River
Redford, MI 48240

RE: License #: DC820384570
Children'z R US
27276 Grand River
Redford, MI 48240

Dear Shekelia Stokes,

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in cursive script, appearing to read "Erin E. Hogan".

Department of Licensing and Regulatory Affairs
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
313 402-7554
HoganE1@michigan.gov
Detroit, MI 48202

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820384570
Licensee Name:	Shekelia Stokes
Licensee Address:	27276 Grand River Redford, MI 48240
Licensee Telephone #:	313 414-3120
Administrator/Licensee Designee:	Shekelia Stokes
Name of Facility:	Children'z R US
Facility Address:	27276 Grand River Redford, MI 48240
Facility Telephone #:	(313) 414-3120
Capacity:	17
Program Type:	CHILD CARE CENTER

II. Purpose of Addendum

On 03/07/2022 during the renewal inspection, I received a modification request. Mrs. Stokes, licensee, and program director, requested to change the capacity in the infant/toddler classroom from 6 children to 8 children birth – 30 months.

III. Methodology

Inspection Completed On-site 03/07/2022
Environmental Health Inspection – 01/12/2022
Fire Safety Inspection- 11/11/2021
Lead Hazard Risk Assessment- 03/04/2020

IV. Description of Findings and Conclusions

The terms of this license have been modified on 03/07/2022, 06/05/2019.

Children’s R US is comprised of one room that is divided into two well-defined spaces to create an infant/toddler classroom and a preschool/school-aged classroom. The bookshelf that is used to divide the two well-defined spaces will be moved closer to the preschool/school-aged classroom to give the infant toddler classroom more child use space. This would decrease the preschool/school-age child use space. The following spaces are approved as child use space:

- Infant/ toddler classroom is 23ft. x 17ft. providing a total of 391 square feet. Based on 50 square feet per child, this allows for a total capacity of 8 children birth – 30 months.
- Preschool/School-age classroom was measured in two parts. The room is 24ft. x 11ft. and 12ft. 7ft., providing a total of 348 square feet. Based on 35 sq. feet per child, this allows for a total room capacity of 9 children 30 months-school-age.

The total space is sufficient for a total license capacity of 17 children birth through 12 years.

I provided Ms. Stokes technical assistance regarding R400.8182(8). If there are children of mixed ages in the same room or well-defined space, then the ratio and group size shall be determined by the age of the youngest children present.

There is a total of 3 handwashing sinks, and 2 toilets available for child use. There is 1 food prep sink in the kitchen.

The classrooms are furnished with a variety of developmentally appropriate equipment.


Terms:

The center maintains the total capacity of 17 children ages birth through 12 years.

The program is approved for full meal service and will provide all meals and snacks.

V. Recommendation

I approve the infant/toddler classroom's capacity be changed from 6 infant/toddlers to 8 infant/toddlers birth – 30 months.



03/12/2022

Erica Hogan
Licensing Consultant

Date