



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

October 20, 2021

Shekelia Stokes
Childrenz Place 2 LLC
20347 Fox
Redford, MI 48240

RE: License #: DC820394356
Children'z Place 2
27216 Grand River Ave.
Redford, MI 48240

Dear Ms. Stokes,

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (313) 456-0380.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in cursive script, appearing to read "Erica Hogan".

Erica Hogan, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820394356
Licensee Name:	Children'z Place 2 LLC
Licensee Address:	20347 Fox Redford, MI 48240
Licensee Telephone #:	(313) 414-3120
Administrator/Licensee Designee:	Shekelia Stokes, Designee
Name of Facility:	Children'z Place 2
Facility Address:	27216 Grand River Ave. Redford, MI 48240
Facility Telephone #:	(313) 414-3120
Capacity:	39
Program Type:	CHILD CARE CENTER

II. Purpose of Addendum

On 10/11/2021, the licensee, Shekelia Stokes requested to add transportation to the terms of her license.

III. Methodology

10/11/2021 modification request received
10/14/2021 inspection completed onsite with the licensee

IV. Description of Findings and Conclusions

The terms of the original license were modified on 10/20/2021.

During the onsite inspection, an inspection of the transportation vehicle was conducted. The vehicle is a white 2016 Ford-Transit 350 XLT. Prior to the inspection, I reviewed the documents that were sent by the licensee via email. I received a copy of the operator's valid driver's license and driving record from the Secretary of State. I received a copy of proof of valid automobile insurance and the registration of the vehicle. I also received self-certifying statements according to R 400.8720(4) and R 400.8750(2)(b). I observed the three bidirectional emergency reflective triangles and first aid kit in the vehicle.

An environmental health inspection, fire safety inspection, and lead hazard risk assessment were not needed for the modification.


The following rooms are approved as child use space:

- Infant/toddler classroom is 36ft. x 10ft. providing a total of 360 sq. ft. Based on 50 sq. ft. per child, this accommodates 10 infants and toddlers. This approval is based on the number of cribs provided by the center.
- The South preschool classroom was measured in two parts. The first part is 13ft. x 26 ft., and the second part is 13ft. x 9ft., together, this provides a total of 455 sq. ft. Based on 35 sq. ft. per child, this accommodates 13 children 2^{1/2} – 12 years of age.
- The Southeast preschool is 36 ft. x 15 ft., providing a total of 558 sq. ft. Based on 35 sq. ft. per child, this accommodates a total of 16 children 2 ½ years of age.

The total capacity of the center is 39 children, ages birth – 12 years of age.

V. Recommendation

I recommend that the transportation component be added to the terms of the license.

 10/20/2021 _____
Erica Hogan Date
Licensing Consultant